



ArcelorMittal Bremen GmbH
Postfach 210220
28222 BREMEN
Carl-Benz-Strasse 30
28237 BREMEN
Telefon 0421/6480
Telefax 0421/6482251

A02
CERTIFICATE
A03 Page: 01 / 04
20200032681-00
Inspection certificate 3.1 EN 10204
A05 ORIGINATOR OF THE DOCUMENT
ArcelorMittal Bremen GmbH
Carl-Benz-Straße 30, 28237 Bremen
zeugnisse.bremen@arcelormittal.com
Telefon 0421/6482813

A09 DISPATCH NOTE
DATE
0000978855
09.06.2020
A08.1 MANUFACTURER'S ORDER NR
DATE
AGENCY'S ORDER NR.
2064044
18.02.2020
GH02KON006001
A07 CUSTOMER'S ORDER NUMBER
1113715
A10 PART NUMBER
XR355038P

A06.1 CUSTOMER
OY KONTINO AB
HAKINTIE, 6
01380 VANTAA
Finland
A06.2 CONSIGNEE
OY KONTINO AB
HAKINTIE, 6
01380 VANTAA
Finland

PRODUCT: hot rolled pickled sheet

QUALITY: AMSTRONG@355MC
S355MC

STANDARD: AM FCE
EN 10149-2 (00-09-2013)

TERMS OF DELIVERY: EN 10051 (2010)

JITZ 1.78

ArcelorMittal Bremen GmbH, Postfach 210220, 28222 BREMEN

OY KONTINO AB

HAKINTIE, 6

01380 VANTAA

Finland



ArcelorMittal Bremen GmbH
 Postfach 210220
 28222 BREMEN
 Carl-Benz-Strasse 30
 28237 BREMEN
 Telefon 0421/6480
 Telefax 0421/6482251

A02 CERTIFICATE
A03 Page: 02/ 04
20200032681-00
 Inspection certificate 3.1 EN 10204
 A05 ORIGINATOR OF THE DOCUMENT
 ArcelorMittal Bremen GmbH
 Carl-Benz-Straße 30, 28237 Bremen
 zeugnisse.bremen@arcelormittal.com
 Telefon 0421/6482813

A09 DISPATCH NOTE
 DATE 0000978855
 09.06.2020
 A08.1 MANUFACTURER'S ORDER NR **2064044**
 DATE 18.02.2020
 AGENCY'S ORDER NR. GH02KON006001
 A07 CUSTOMER'S ORDER NUMBER
 1113715
 A10 PART NUMBER
 XR355038P

A06.1 CUSTOMER
OY KONTINO AB
HAKINTIE, 6
01380 VANTAA
Finland
 A06.2 CONSIGNEE
OY KONTINO AB
HAKINTIE, 6
01380 VANTAA
Finland

PRODUCT: hot rolled pickled sheet QUALITY: **AMSTRONG@355MC** STANDARD: **AM FCE**
 TERMS OF DELIVERY: **EN 10051 (2010)** **S355MC** **EN 10149-2 (00-09-2013)**

JITZ 1.78

A08.2 ITEM	B09 THICKNES mm	B10 WIDTH mm	B11 LENGTH mm
1	3.00	1500.00	3000.00

A08.2 ITEM	B07.1 COILNO	B07.1 PART	B13 WEIGHT kg	B08 AMOUNT	B07.2 HEAT	CHEMICAL ANALYSIS																	
						C71	C73	C72	C74	C75	C81	C77	C76	C83	C84	C78	C82	C79	C80	C85	As	Sn	
						C %	Si %	Mn %	P %	S %	Cu %	Al %	N %	B %	V %	Ti %	Nb %	Cr %	Ni %	Mo %	As %	Sn %	
1	589322	01100	2440	23	024519	.0717	.0109	.5457	.0090	.0045	.0186	.0348	.0051	.0001	.0007	.0010	.0230	.0347	.0310	.0038	.0008	.0016	
						4739054	024519	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000
	589322	01200	2450	23	024519	.0717	.0109	.5457	.0090	.0045	.0186	.0348	.0051	.0001	.0007	.0010	.0230	.0347	.0310	.0038	.0008	.0016	
						4739055	024519	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000
	589322	01300	2450	23	024519	.0717	.0109	.5457	.0090	.0045	.0186	.0348	.0051	.0001	.0007	.0010	.0230	.0347	.0310	.0038	.0008	.0016	
						4739056	024519	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000
	589322	01400	2445	23	024519	.0717	.0109	.5457	.0090	.0045	.0186	.0348	.0051	.0001	.0007	.0010	.0230	.0347	.0310	.0038	.0008	.0016	
						4739057	024519	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000
	589322	01500	2445	23	024519	.0717	.0109	.5457	.0090	.0045	.0186	.0348	.0051	.0001	.0007	.0010	.0230	.0347	.0310	.0038	.0008	.0016	
						4739058	024519	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000
	589322	01600	2445	23	024519	.0717	.0109	.5457	.0090	.0045	.0186	.0348	.0051	.0001	.0007	.0010	.0230	.0347	.0310	.0038	.0008	.0016	
						4739059	024519	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000
	589322	01700	1490	14	024519	.0717	.0109	.5457	.0090	.0045	.0186	.0348	.0051	.0001	.0007	.0010	.0230	.0347	.0310	.0038	.0008	.0016	
						4739077	024519	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000
	589323	00200	2455	23	024520	.0730	.0167	.5290	.0105	.0034	.0183	.0345	.0047	.0001	.0010	.0010	.0249	.0346	.0331	.0042	.0008	.0018	
						4739087	024520	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000
	589323	00300	2450	23	024520	.0730	.0167	.5290	.0105	.0034	.0183	.0345	.0047	.0001	.0010	.0010	.0249	.0346	.0331	.0042	.0008	.0018	
						4739088	024520	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000
	589323	00700	2475	23	024520	.0730	.0167	.5290	.0105	.0034	.0183	.0345	.0047	.0001	.0010	.0010	.0249	.0346	.0331	.0042	.0008	.0018	
						4739100	024520	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000
	589323	00800	2420	23	024520	.0730	.0167	.5290	.0105	.0034	.0183	.0345	.0047	.0001	.0010	.0010	.0249	.0346	.0331	.0042	.0008	.0018	
						4739101	024520	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000
	11		25965																				
TOTAL	11		25965																				

C02 test direction relating to rolling direction (0°= L; 90°= T) C04 specimen condition V:aged F:fresh N:normalised



ArcelorMittal Bremen GmbH
 Postfach 210220
 28222 BREMEN
 Carl-Benz-Strasse 30
 28237 BREMEN
 Telefon 0421/6480
 Telefax 0421/6482251

A02 CERTIFICATE
 A03 Page: 03 / 04
20200032681-00
 Inspection certificate 3.1 EN 10204
 A05 ORIGINATOR OF THE DOCUMENT
 ArcelorMittal Bremen GmbH
 Carl-Benz-Straße 30, 28237 Bremen
 zeugnisse.bremen@arcelormittal.com
 Telefon 0421/6482813

A09 DISPATCH NOTE
 DATE 09.06.2020
 0000978855
 A08.1 MANUFACTURER'S ORDER NR **2064044**
 DATE 18.02.2020
 AGENCY'S ORDER NR. GH02KON006001
 A07 CUSTOMER'S ORDER NUMBER
 1113715
 A10 PART NUMBER
 XR355038P

A06.1 CUSTOMER
OY KONTINO AB
HAKINTIE, 6
01380 VANTAA
Finland
 A06.2 CONSIGNEE
OY KONTINO AB
HAKINTIE, 6
01380 VANTAA
Finland

PRODUCT: hot rolled pickled sheet QUALITY: **AMSTRONG@355MC** STANDARD: **AM FCE**
 TERMS OF DELIVERY: **EN 10051 (2010)** **S355MC** **EN 10149-2 (00-09-2013)**

JITZ 1.78

A08.2 ITEM	B09 THICKNES mm	B10 WIDTH mm	B11 LENGTH mm
1	3.00	1500.00	3000.00

A08.2 ITEM	B07.1 COILNO	B07.1 PART	B13 WEIGHT kg	B08 AMOUNT	B07.2 HEAT	TENSILE TEST						BENDTEST
						C02 PR °	C04 MAZ	C03 Temp °C	C11 yield p. Re MPa	C12 strength Rm MPa	C13 A45mm %	C50 Fa
1	589322	01100	2440	23	024519	0	F	20	407	489	34	1
	4739054				024519	90	F	20	424	485	30	
	589322	01200	2450	23	024519	0	F	20	407	489	34	1
	4739055				024519	90	F	20	424	485	30	
	589322	01300	2450	23	024519	0	F	20	407	489	34	1
	4739056				024519	90	F	20	424	485	30	
	589322	01400	2445	23	024519	0	F	20	407	489	34	1
	4739057				024519	90	F	20	424	485	30	
	589322	01500	2445	23	024519	0	F	20	407	489	34	1
	4739058				024519	90	F	20	424	485	30	
	589322	01600	2445	23	024519	0	F	20	407	489	34	1
	4739059				024519	90	F	20	424	485	30	
	589322	01700	1490	14	024519	0	F	20	407	489	34	1
	4739077				024519	90	F	20	424	485	30	
	589323	00200	2455	23	024520	0	F	20	413	495	33.5	1
	4739087				024520	90	F	20	430	492	29	
	589323	00300	2450	23	024520	0	F	20	413	495	33.5	1
	4739088				024520	90	F	20	430	492	29	
	589323	00700	2475	23	024520	0	F	20	413	495	33.5	1
	4739100				024520	90	F	20	430	492	29	
	589323	00800	2420	23	024520	0	F	20	413	495	33.5	1
	4739101				024520	90	F	20	430	492	29	

11 | 25965

TOTAL 11 | 25965

C02 test direction relating to rolling direction (0°= L; 90°= T) C04 specimen condition V:aged F:fresh N:normalised



ArcelorMittal Bremen GmbH
 Postfach 210220
 28222 BREMEN
 Carl-Benz-Strasse 30
 28237 BREMEN
 Telefon 0421/6480
 Telefax 0421/6482251

A02 CERTIFICATE
 A03 Page: 04 / 04
20200032681-00
 Inspection certificate 3.1 EN 10204
 A05 ORIGINATOR OF THE DOCUMENT
 ArcelorMittal Bremen GmbH
 Carl-Benz-Straße 30, 28237 Bremen
 zeugnisse.bremen@arcelormittal.com
 Telefon 0421/6482813

A09 DISPATCH NOTE
 DATE 0000978855
 09.06.2020
 A08.1 MANUFACTURER'S ORDER NR **2064044**
 DATE 18.02.2020
 AGENCY'S ORDER NR. GH02KON006001
 A07 CUSTOMER'S ORDER NUMBER
 1113715
 A10 PART NUMBER
 XR355038P

A06.1 CUSTOMER
OY KONTINO AB
HAKINTIE, 6
01380 VANTAA
Finnland
 A06.2 CONSIGNEE
OY KONTINO AB
HAKINTIE, 6
01380 VANTAA
Finnland

PRODUCT: hot rolled pickled sheet
 QUALITY: **AMSTRONG@355MC**
 STANDARD: **AM FCE**
 TERMS OF DELIVERY: **EN 10051 (2010)**
S355MC
EN 10149-2 (00-09-2013)

JITZ 1.78

A08.2 ITEM	B09 THICKNES mm	B10 WIDTH mm	B11 LENGTH mm
1	3.00	1500.00	3000.00

We certify hereby that the delivery complies with the above mentioned specification.



BREMEN 09.06.2020

QUALITY DEPARTMENT
 SITE EXPERT FOR INSPECTION
 Kramer

C02 test direction relating to rolling direction (0°= L; 90°= T)
 C04 specimen condition V:aged F:fresh N:normalised