



ArcelorMittal Bremen GmbH
Postfach 210220
28222 BREMEN
Carl-Benz-Strasse 30
28237 BREMEN
Telefon 0421/6480
Telefax 0421/6482251

A02
CERTIFICATE
A03 Page: 01 / 04
20200045196-00
Inspection certificate 3.1 EN 10204
A05 ORIGINATOR OF THE DOCUMENT
ArcelorMittal Bremen GmbH
Carl-Benz-Straße 30, 28237 Bremen
zeugnisse.bremen@arcelormittal.com
Telefon 0421/6482813

A09 DISPATCH NOTE
DATE
0000997845
21.08.2020
A08.1 MANUFACTURER'S ORDER NR
DATE
AGENCY'S ORDER NR. GH03KON004001
2069518
11.06.2020
A07 CUSTOMER'S ORDER NUMBER
1114118
A10 PART NUMBER
XR355048P

A06.1 CUSTOMER
OY KONTINO AB
HAKINTIE, 6
01380 VANTAA
Finland
A06.2 CONSIGNEE
OY KONTINO AB
HAKINTIE, 6
01380 VANTAA
Finland

PRODUCT: hot rolled pickled sheet

QUALITY: AMSTRONG@355MC
S355MC

STANDARD: AM FCE
EN 10149-2 (00-09-2013)

TERMS OF DELIVERY: EN 10051 (2010)

JITZ 1.78

ArcelorMittal Bremen GmbH, Postfach 210220, 28222 BREMEN

OY KONTINO AB

HAKINTIE, 6

01380 VANTAA

Finland



ArcelorMittal Bremen GmbH
 Postfach 210220
 28222 BREMEN
 Carl-Benz-Strasse 30
 28237 BREMEN
 Telefon 0421/6480
 Telefax 0421/6482251

A02 CERTIFICATE
A03 Page: 02 / 04
20200045196-00
 Inspection certificate 3.1 EN 10204
 A05 ORIGINATOR OF THE DOCUMENT
 ArcelorMittal Bremen GmbH
 Carl-Benz-Straße 30, 28237 Bremen
 zeugnisse.bremen@arcelormittal.com
 Telefon 0421/6482813

A09 DISPATCH NOTE
 DATE 0000997845
 21.08.2020
 A08.1 MANUFACTURER'S ORDER NR **2069518**
 DATE 11.06.2020
 AGENCY'S ORDER NR. GH03KON004001
 A07 CUSTOMER'S ORDER NUMBER
 1114118
 A10 PART NUMBER
 XR355048P

A06.1 CUSTOMER
OY KONTINO AB
HAKINTIE, 6
01380 VANTAA
Finland
 A06.2 CONSIGNEE
OY KONTINO AB
HAKINTIE, 6
01380 VANTAA
Finland

PRODUCT: hot rolled pickled sheet
 QUALITY: **AMSTRONG@355MC**
 S355MC
 STANDARD: **AM FCE**
 EN 10149-2 (00-09-2013)
 TERMS OF DELIVERY: **EN 10051 (2010)**

JITZ 1.78

A08.2 ITEM	B09 THICKNES mm	B10 WIDTH mm	B11 LENGTH mm
1	4.00	1500.00	3000.00

A08.2 ITEM	B07.1 COILNO	B07.1 PART	B13 WEIGHT kg	B08 AMOUNT	B07.2 HEAT	CHEMICAL ANALYSIS																	
						C71	C73	C72	C74	C75	C81	C77	C76	C83	C84	C78	C82	C79	C80	C85	As	Sn	
						C %	Si %	Mn %	P %	S %	Cu %	Al %	N %	B %	V %	Ti %	Nb %	Cr %	Ni %	Mo %	As %	Sn %	
1	239584	00200	2405	17	026182	.0725	.0113	.5290	.0079	.0057	.0158	.0384	.0055	.0001	.0004	.0011	.0240	.0236	.0258	.0040	.0010	.0013	
	4755518				026182	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	
	239584	00300	2425	17	026182	.0725	.0113	.5290	.0079	.0057	.0158	.0384	.0055	.0001	.0004	.0011	.0240	.0236	.0258	.0040	.0010	.0013	
	4755519				026182	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	
	239584	00700	1855	13	026182	.0725	.0113	.5290	.0079	.0057	.0158	.0384	.0055	.0001	.0004	.0011	.0240	.0236	.0258	.0040	.0010	.0013	
	4755535				026182	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	
	239585	01100	2430	17	026182	.0725	.0113	.5290	.0079	.0057	.0158	.0384	.0055	.0001	.0004	.0011	.0240	.0236	.0258	.0040	.0010	.0013	
	4755536				026182	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	
	239585	01200	2405	17	026182	.0725	.0113	.5290	.0079	.0057	.0158	.0384	.0055	.0001	.0004	.0011	.0240	.0236	.0258	.0040	.0010	.0013	
	4755537				026182	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	
	239585	01300	2425	17	026182	.0725	.0113	.5290	.0079	.0057	.0158	.0384	.0055	.0001	.0004	.0011	.0240	.0236	.0258	.0040	.0010	.0013	
	4755538				026182	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	
	239585	01400	2430	17	026182	.0725	.0113	.5290	.0079	.0057	.0158	.0384	.0055	.0001	.0004	.0011	.0240	.0236	.0258	.0040	.0010	.0013	
	4755539				026182	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	
	239585	01500	2435	17	026182	.0725	.0113	.5290	.0079	.0057	.0158	.0384	.0055	.0001	.0004	.0011	.0240	.0236	.0258	.0040	.0010	.0013	
	4755540				026182	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	
	239585	01600	2435	17	026182	.0725	.0113	.5290	.0079	.0057	.0158	.0384	.0055	.0001	.0004	.0011	.0240	.0236	.0258	.0040	.0010	.0013	
	4755541				026182	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	
	239585	01700	2125	15	026182	.0725	.0113	.5290	.0079	.0057	.0158	.0384	.0055	.0001	.0004	.0011	.0240	.0236	.0258	.0040	.0010	.0013	
	4755542				026182	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	
		10	23370																				
TOTAL		10	23370																				

C02 test direction relating to rolling direction (0°= L; 90°= T)
 C04 specimen condition V:aged F:fresh N:normalised



ArcelorMittal Bremen GmbH
 Postfach 210220
 28222 BREMEN
 Carl-Benz-Strasse 30
 28237 BREMEN
 Telefon 0421/6480
 Telefax 0421/6482251

A02 CERTIFICATE
 A03 Page: 03 / 04
20200045196-00
 Inspection certificate 3.1 EN 10204
 A05 ORIGINATOR OF THE DOCUMENT
 ArcelorMittal Bremen GmbH
 Carl-Benz-Straße 30, 28237 Bremen
 zeugnisse.bremen@arcelormittal.com
 Telefon 0421/6482813

A09 DISPATCH NOTE
 DATE 0000997845
 21.08.2020
 A08.1 MANUFACTURER'S ORDER NR **2069518**
 DATE 11.06.2020
 AGENCY'S ORDER NR. GH03KON004001
 A07 CUSTOMER'S ORDER NUMBER
 1114118
 A10 PART NUMBER
 XR355048P

A06.1 CUSTOMER
OY KONTINO AB
HAKINTIE, 6
01380 VANTAA
Finland
 A06.2 CONSIGNEE
OY KONTINO AB
HAKINTIE, 6
01380 VANTAA
Finland

PRODUCT: hot rolled pickled sheet QUALITY: **AMSTRONG@355MC** STANDARD: **AM FCE**
 TERMS OF DELIVERY: **EN 10051 (2010)** **S355MC** **EN 10149-2 (00-09-2013)**

JITZ 1.78

A08.2 ITEM	B09 THICKNES mm	B10 WIDTH mm	B11 LENGTH mm
1	4.00	1500.00	3000.00

A08.2 ITEM	B07.1 COILNO	B07.1 PART	B13 WEIGHT kg	B08 AMOUNT	B07.2 HEAT	TENSILE TEST						BENDTEST
						C02 PR °	C04 MAZ	C03 Temp °C	C11 yield p. Re MPa	C12 strength Rm MPa	C13 A50mm %	C50 Fa
1	239584	00200	2405	17	026182	0	F	20	405	491	33.5	1
	4755518				026182	90	F	20	413	486	29.5	
	239584	00300	2425	17	026182	0	F	20	405	491	33.5	1
	4755519				026182	90	F	20	413	486	29.5	
	239584	00700	1855	13	026182	0	F	20	405	491	33.5	1
	4755535				026182	90	F	20	413	486	29.5	
	239585	01100	2430	17	026182	0	F	20	406	492	33.5	1
	4755536				026182	90	F	20	414	488	29	
	239585	01200	2405	17	026182	0	F	20	406	492	33.5	1
	4755537				026182	90	F	20	414	488	29	
	239585	01300	2425	17	026182	0	F	20	406	492	33.5	1
	4755538				026182	90	F	20	414	488	29	
	239585	01400	2430	17	026182	0	F	20	406	492	33.5	1
	4755539				026182	90	F	20	414	488	29	
	239585	01500	2435	17	026182	0	F	20	406	492	33.5	1
	4755540				026182	90	F	20	414	488	29	
	239585	01600	2435	17	026182	0	F	20	406	492	33.5	1
	4755541				026182	90	F	20	414	488	29	
	239585	01700	2125	15	026182	0	F	20	406	492	33.5	1
	4755542				026182	90	F	20	414	488	29	
	10		23370									
TOTAL	10		23370									

We certify hereby that the delivery complies with the above mentioned specification.

C02 test direction relating to rolling direction (0°= L; 90°= T)	C04 specimen condition V:aged F:fresh N:normalised
---	---



ArcelorMittal Bremen GmbH
 Postfach 210220
 28222 BREMEN
 Carl-Benz-Strasse 30
 28237 BREMEN
 Telefon 0421/6480
 Telefax 0421/6482251

A02 CERTIFICATE
 A03 Page: 04 / 04
20200045196-00
 Inspection certificate 3.1 EN 10204
 A05 ORIGINATOR OF THE DOCUMENT
 ArcelorMittal Bremen GmbH
 Carl-Benz-Straße 30, 28237 Bremen
 zeugnisse.bremen@arcelormittal.com
 Telefon 0421/6482813

A09 DISPATCH NOTE
 DATE 0000997845
 21.08.2020
 A08.1 MANUFACTURER'S ORDER NR **2069518**
 DATE 11.06.2020
 AGENCY'S ORDER NR. GH03KON004001
 A07 CUSTOMER'S ORDER NUMBER
 1114118
 A10 PART NUMBER
 XR355048P

A06.1 CUSTOMER
OY KONTINO AB
HAKINTIE, 6
01380 VANTAA
Finland
 A06.2 CONSIGNEE
OY KONTINO AB
HAKINTIE, 6
01380 VANTAA
Finland

PRODUCT: hot rolled pickled sheet
 QUALITY: **AMSTRONG@355MC**
 S355MC
 STANDARD: **AM FCE**
 EN 10149-2 (00-09-2013)
 TERMS OF DELIVERY: **EN 10051 (2010)**

JITZ 1.78

A08.2 ITEM	B09 THICKNES mm	B10 WIDTH mm	B11 LENGTH mm
1	4.00	1500.00	3000.00



BREMEN 21.08.2020

QUALITY DEPARTMENT
 SITE EXPERT FOR INSPECTION
 Kramer

Jarkko Kramer

C02 test direction
 relating to rolling direction (0°= L; 90°= T)

C04 specimen condition
 V:aged F:fresh N:normalised