



ArcelorMittal Bremen GmbH
Postfach 210220
28222 BREMEN
Carl-Benz-Strasse 30
28237 BREMEN
Telefon 0421/6480
Telefax 0421/6482251

A02 CERTIFICATE
A03 Page: 01 / 04
20210032435-00

Inspection certificate 3.1 EN 10204

A05 ORIGINATOR OF THE DOCUMENT
ArcelorMittal Bremen GmbH
Carl-Benz-Straße 30, 28237 Bremen
zeugnisse.bremen@arcelormittal.com
Telefon 0421/6482813

A09 DISPATCH NOTE
DATE 000084814
12.05.2021

A08.1 MANUFACTURER'S ORDER NR 2078983
DATE 11.11.2020
AGENCY'S ORDER NR. GH11KON001010

A07 CUSTOMER'S ORDER NUMBER
1114592/1114592/10

A10 PART NUMBER
XR355047

A06.1 CUSTOMER
OY PONTIA FUNDS AB

HAKINTIE, 6
01380 VANTAA
Finland

A06.2 CONSIGNEE
OY PONTIA FUNDS AB

HAKINTIE, 6
01380 VANTAA
Finland

PRODUCT: hot rolled unpickled sheet

QUALITY: AMSTRONG®355MC
S355MC

STANDARD: AM FCE
EN 10149-2 (00-09-2013)

TERMS OF DELIVERY: EN 10051 (2010)

JITZ 1.79

ArcelorMittal Bremen GmbH, Postfach 210220, 28222 BREMEN

OY PONTIA FUNDS AB

HAKINTIE, 6
01380 VANTAA
Finland



ArcelorMittal Bremen GmbH
 Postfach 210220
 28222 BREMEN
 Carl-Benz-Strasse 30
 28237 BREMEN
 Telefon 0421/6480
 Telefax 0421/6482251

A02 CERTIFICATE
 A03 Page: 02/ 04
20210032435-00
 Inspection certificate 3.1 EN 10204
 A05 ORIGINATOR OF THE DOCUMENT
 ArcelorMittal Bremen GmbH
 Carl-Benz-Straße 30, 28237 Bremen
 zeugnisse.bremen@arcelormittal.com
 Telefon 0421/6482813

A09 DISPATCH NOTE
 DATE 000084814
 12.05.2021
 A08.1 MANUFACTURER'S ORDER NR **2078983**
 DATE 11.11.2020
 AGENCY'S ORDER NR. GH11KON001010
 A07 CUSTOMER'S ORDER NUMBER
 1114592/1114592/10
 A10 PART NUMBER
 XR355047

A06.1 CUSTOMER
OY PONTIA FUNDS AB
HAKINTIE, 6
01380 VANTAA
Finland
 A06.2 CONSIGNEE
OY PONTIA FUNDS AB
HAKINTIE, 6
01380 VANTAA
Finland

PRODUCT: hot rolled unpickled sheet QUALITY: **AMSTRONG@355MC** STANDARD: **AM FCE**
 TERMS OF DELIVERY: **EN 10051 (2010)** **S355MC** **EN 10149-2 (00-09-2013)**

JITZ 1.79

A08.2 ITEM	B09 THICKNES mm	B10 WIDTH mm	B11 LENGTH mm
10	4.00	2020.00	6020.00

A08.2 ITEM	B07.1 COILNO	B07.1 PART	B13 WEIGHT kg	B08 AMOUNT	B07.2 HEAT	CHEMICAL ANALYSIS																	
						C71	C73	C72	C74	C75	C81	C77	C76	C83	C84	C78	C82	C79	C80	C85	As	Sn	
						C %	Si %	Mn %	P %	S %	Cu %	Al %	N %	B %	V %	Ti %	Nb %	Cr %	Ni %	Mo %	As %	Sn %	
10	684820	00100	2320	6	034644	.0679	.0092	.5285	.0118	.0050	.0161	.0376	.0046	.0001	.0006	.0012	.0230	.0251	.0315	.0033	.0021	.0018	
	4820745				034644	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	
	684820	00200	2320	6	034644	.0679	.0092	.5285	.0118	.0050	.0161	.0376	.0046	.0001	.0006	.0012	.0230	.0251	.0315	.0033	.0021	.0018	
	4820746				034644	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	
	684820	00300	2310	6	034644	.0679	.0092	.5285	.0118	.0050	.0161	.0376	.0046	.0001	.0006	.0012	.0230	.0251	.0315	.0033	.0021	.0018	
	4820748				034644	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	
	684820	00400	2315	6	034644	.0679	.0092	.5285	.0118	.0050	.0161	.0376	.0046	.0001	.0006	.0012	.0230	.0251	.0315	.0033	.0021	.0018	
	4820749				034644	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	
	684820	00500	2305	6	034644	.0679	.0092	.5285	.0118	.0050	.0161	.0376	.0046	.0001	.0006	.0012	.0230	.0251	.0315	.0033	.0021	.0018	
	4820750				034644	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	
	684820	00600	2315	6	034644	.0679	.0092	.5285	.0118	.0050	.0161	.0376	.0046	.0001	.0006	.0012	.0230	.0251	.0315	.0033	.0021	.0018	
	4820751				034644	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	
	684820	00700	2295	6	034644	.0679	.0092	.5285	.0118	.0050	.0161	.0376	.0046	.0001	.0006	.0012	.0230	.0251	.0315	.0033	.0021	.0018	
	4820752				034644	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	
	684820	00800	2300	6	034644	.0679	.0092	.5285	.0118	.0050	.0161	.0376	.0046	.0001	.0006	.0012	.0230	.0251	.0315	.0033	.0021	.0018	
	4820753				034644	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	
	684820	00900	1910	5	034644	.0679	.0092	.5285	.0118	.0050	.0161	.0376	.0046	.0001	.0006	.0012	.0230	.0251	.0315	.0033	.0021	.0018	
	4820754				034644	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	
	684824	00800	2310	6	034644	.0679	.0092	.5285	.0118	.0050	.0161	.0376	.0046	.0001	.0006	.0012	.0230	.0251	.0315	.0033	.0021	.0018	
	4820782				034644	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	
		10																				22700	
TOTAL		10																				22700	

C02 test direction relating to rolling direction (0°= L; 90°= T) C04 specimen condition V:aged F:fresh N:normalised



ArcelorMittal Bremen GmbH
 Postfach 210220
 28222 BREMEN
 Carl-Benz-Strasse 30
 28237 BREMEN
 Telefon 0421/6480
 Telefax 0421/6482251

A02 CERTIFICATE
 A03 Page: 03 / 04
20210032435-00
 Inspection certificate 3.1 EN 10204
 A05 ORIGINATOR OF THE DOCUMENT
 ArcelorMittal Bremen GmbH
 Carl-Benz-Straße 30, 28237 Bremen
 zeugnisse.bremen@arcelormittal.com
 Telefon 0421/6482813

A09 DISPATCH NOTE
 DATE 000084814
 12.05.2021
 A08.1 MANUFACTURER'S ORDER NR **2078983**
 DATE 11.11.2020
 AGENCY'S ORDER NR. GH11KON001010
 A07 CUSTOMER'S ORDER NUMBER
 1114592/1114592/10
 A10 PART NUMBER
 XR355047

A06.1 CUSTOMER
 OY PONTIA FUNDS AB
 HAKINTIE, 6
 01380 VANTAA
 Finland
 A06.2 CONSIGNEE
 OY PONTIA FUNDS AB
 HAKINTIE, 6
 01380 VANTAA
 Finland

PRODUCT: hot rolled unpickled sheet QUALITY: **AMSTRONG@355MC** STANDARD: **AM FCE**
 TERMS OF DELIVERY: **EN 10051 (2010)** **S355MC** **EN 10149-2 (00-09-2013)**

JITZ 1.79

A08.2 ITEM	B09 THICKNES mm	B10 WIDTH mm	B11 LENGTH mm
10	4.00	2020.00	6020.00

A08.2 ITEM	B07.1 COILNO	B07.1 PART	B13 WEIGHT kg	B08 AMOUNT	B07.2 HEAT	TENSILE TEST							BENDTEST	
						C02	C04	C03	C11	C12	C13	C50 Fa		
						PR °	MAZ	Temp °C	yield Re MPa	p. strength Rm MPa	A50mm %			
10	684820	00100	2320	6	034644	0	F	20	390	477	34	1		
	4820745				034644	90	F	20	380	460	29			
	684820	00200	2320	6	034644	0	F	20	390	477	34	1		
	4820746				034644	90	F	20	380	460	29			
	684820	00300	2310	6	034644	0	F	20	390	477	34	1		
	4820748				034644	90	F	20	380	460	29			
	684820	00400	2315	6	034644	0	F	20	390	477	34	1		
	4820749				034644	90	F	20	380	460	29			
	684820	00500	2305	6	034644	0	F	20	390	477	34	1		
	4820750				034644	90	F	20	380	460	29			
	684820	00600	2315	6	034644	0	F	20	390	477	34	1		
	4820751				034644	90	F	20	380	460	29			
	684820	00700	2295	6	034644	0	F	20	390	477	34	1		
	4820752				034644	90	F	20	380	460	29			
	684820	00800	2300	6	034644	0	F	20	390	477	34	1		
	4820753				034644	90	F	20	380	460	29			
	684820	00900	1910	5	034644	0	F	20	390	477	34	1		
	4820754				034644	90	F	20	380	460	29			
	684824	00800	2310	6	034644	0	F	20	390	477	34	1		
	4820782				034644	90	F	20	380	460	29			
	10		22700											
TOTAL	10		22700											

C02 test direction relating to rolling direction (0°= L; 90°= T) C04 specimen condition V:aged F:fresh N:normalised



ArcelorMittal Bremen GmbH
 Postfach 210220
 28222 BREMEN
 Carl-Benz-Strasse 30
 28237 BREMEN
 Telefon 0421/6480
 Telefax 0421/6482251

A02 CERTIFICATE
 A03 Page: 04 / 04
20210032435-00
 Inspection certificate 3.1 EN 10204
 A05 ORIGINATOR OF THE DOCUMENT
 ArcelorMittal Bremen GmbH
 Carl-Benz-Straße 30, 28237 Bremen
 zeugnisse.bremen@arcelormittal.com
 Telefon 0421/6482813

A09 DISPATCH NOTE
 DATE 000084814
 12.05.2021
 A08.1 MANUFACTURER'S ORDER NR **2078983**
 DATE 11.11.2020
 AGENCY'S ORDER NR. GH11KON001010
 A07 CUSTOMER'S ORDER NUMBER
 1114592/1114592/10
 A10 PART NUMBER
 XR355047

A06.1 CUSTOMER
OY PONTIA FUNDS AB
HAKINTIE, 6
01380 VANTAA
Finnland
 A06.2 CONSIGNEE
OY PONTIA FUNDS AB
HAKINTIE, 6
01380 VANTAA
Finnland

PRODUCT: hot rolled unpickled sheet QUALITY: **AMSTRONG®355MC** STANDARD: **AM FCE**
 TERMS OF DELIVERY: **EN 10051 (2010)** **S355MC** **EN 10149-2 (00-09-2013)**

JITZ 1.79

A08.2	B09	B10	B11
ITEM	THICKNES	WIDTH	LENGTH
	mm	mm	mm
10	4.00	2020.00	6020.00

We certify hereby that the delivery complies with the above mentioned specification.



BREMEN 12.05.2021

QUALITY DEPARTMENT
 SITE EXPERT FOR INSPECTION
 Kramer

C02 test direction relating to rolling direction (0°= L; 90°= T)	C04 specimen condition V:aged F:fresh N:normalised
---	---