

**A02** Page: 03 / 04  
**CERTIFICATE**  
**20210065129-00**  
 Inspection certificate 3.1 EN 10204

**A03** A09DISPATCH NOTE  
**20210065129-00**  
 DATE  
 28.09.2021

**A04** A08.1 MANUFACTURER'S ORDER NR  
**2188482**  
 DATE  
 19.03.2021  
 AGENCY'S ORDER NR. GH13BYH006003

**A05** A07CUSTOMER'S ORDER NUMBER  
 P089504/P089504-3

**A06.1** CUSTOMER  
**BE GROUP OY AB**  
 Laiturikatu 2  
 15140 Lahti  
 Finland

**A06.2** CONSIGNEE  
**BE Group OY AB, KELAVARASTO**  
 VANHANRADANKATU 42  
 15522 LAHTI  
 Finland

**A10** PART NUMBER  
 2101750290

**A01** A05 ORIGINATOR OF THE DOCUMENT  
 ArcelorMittal Bremen GmbH  
 Carl-Benz-Strasse 30, 28237 Bremen  
 zeugnisse.bremen@arcelormittal.com  
 Telefon 0421/64820  
 Telefax 0421/6482251

**PRODUCT:** hot rolled pickled sheet **QUALITY:** AMSTRONG®355MC **STANDARD:** AM FCE

**TERMS OF DELIVERY:** EN 10051 (2010) **EN 10149-2 (00-09-2013)**

**A08.2** ITEM B07.1 B07.1 B13 B08 B07.2 B11  
 COILNO PART WEIGHT AMOUNT HEAT LENGTH  
 mm mm mm kg

3 5.00 1500.00 3000.00

**JITZ 1.79**


TENSILE TEST		BENDTEST SHOCK TEST																				
A08.2	ITEM	B07.1	B07.1	B07.1	B13	B08	B07.2	HEAT	C02	C04	C03	C11	C12	C13	C50	C44	C02	C03	C42	C42	C42	C43
		°	°C	MPa	°C	MPa	MPa	%	cm²	°	°C	MPa	MPa	%	cm²	cm²	°	°C	cm²	cm²	cm²	J
3	679061	01000	01000	360	2	039012	039012		0	F	20	410	492	34	1	.8	0	-20	214	204	204	208
		4861259							90	F	20	418	488	32								
	679061	00100	00100	2850	16	039011	039011		0	F	20	416	495	34	1	.8	0	-20	186	188	188	196
		4861227							90	F	20	422	491	31.5								
	679061	00200	00200	2850	16	039011	039011		0	F	20	416	495	34	1	.8	0	-20	186	188	188	196
		4861228							90	F	20	422	491	31.5								
	679061	00300	00300	2850	16	039011	039011		0	F	20	416	495	34	1	.8	0	-20	186	188	188	196
		4861229							90	F	20	422	491	31.5								
	679061	00400	00400	2850	16	039011	039011		0	F	20	416	495	34	1	.8	0	-20	186	188	188	196
		4861230							90	F	20	422	491	31.5								
	679061	00500	00500	2855	16	039011	039011		0	F	20	416	495	34	1	.8	0	-20	186	188	188	196
		4861231							90	F	20	422	491	31.5								
	679061	00600	00600	2845	16	039011	039011		0	F	20	416	495	34	1	.8	0	-20	186	188	188	196
		4861232							90	F	20	422	491	31.5								
	679061	00700	00700	2845	16	039011	039011		0	F	20	416	495	34	1	.8	0	-20	186	188	188	196
		4861233							90	F	20	422	491	31.5								
	679061	00800	00800	2845	16	039011	039011		0	F	20	416	495	34	1	.8	0	-20	186	188	188	196
		4861234							90	F	20	422	491	31.5								
	679061	00900	00900	175	1	039011	039011		0	F	20	416	495	34	1	.8	0	-20	186	188	188	196
		4861248							90	F	20	422	491	31.5								
<b>TOTAL</b>		10		23325																		
<b>TOTAL</b>		10		23325																		

C02 test direction relating to rolling direction (0°= L; 90°= T)

C04 specimen condition V:aged F:fresh N:normalised

C50 bend test 1:good

C43 result in J related to specimensize (C44)



ArcelorMittal Bremen GmbH  
Postfach 210220  
28222 BREMEN  
Carl-Benz-Strasse 30  
28237 BREMEN  
Telefon 0421/6480  
Telefax 0421/6482251

A02 CERTIFICATE  
Page: 04 / 04  
**20210065129-00**

Inspection certificate 3.1 EN 10204  
A05 ORIGINATOR OF THE DOCUMENT  
ArcelorMittal Bremen GmbH  
Carl-Benz-Strasse 30, 28237 Bremen  
zeugnisse.bremen@arcelormittal.com  
Telefon 0421/6482813

A03  
A09 DISPATCH NOTE  
DATE  
A08.1 MANUFACTURER'S ORDER NR  
DATE  
AGENCY'S ORDER NR.  
A07 CUSTOMER'S ORDER NUMBER  
P089504/P089504-3  
A10 PART NUMBER  
2101750290

0000130250  
28.09.2021  
2188482  
19.03.2021  
GH13BYH006003

A06.1 CUSTOMER  
BE GROUP OY AB  
Laiturikatu 2  
15140 Lahti  
Finland  
A06.2 CONSIGNEE  
BE Group OY AB, KELAVARASTO  
VANHANRADANKATU 42  
15522 LAHTI  
Finland

PRODUCT: hot rolled pickled sheet  
TERMS OF DELIVERY: EN 10051 (2010)

QUALITY: AMSTRONG® 355MC  
S355MC

STANDARD: AM FCE  
EN 10149-2 (00-09-2013)

JITZ 1.79

A08.2	B09	B10	B11
ITEM	THICKNES	WIDTH	LENGTH
	mm	mm	mm
3	5.00	1500.00	3000.00

We certify hereby that the delivery complies with the above mentioned specification.

BREMEN 28.09.2021



QUALITY DEPARTMENT  
SITE EXPERT FOR INSPECTION  
Kramer

C02 test direction relating to rolling direction (0°= L; 90°= T)	C04 specimen condition V:aged F:fresh N:normalised	C50 bend test 1:good	C43 result in J related to specimensize (C44)
---	---	-------------------------	--