



ArcelorMittal Bremen GmbH
 Postfach 210220
 28222 BREMEN
 Carl-Benz-Strasse 30
 28237 BREMEN
 Telefon 0421/6480
 Telefax 0421/6482251

A02 CERTIFICATE
 Page: 01 / 03
20210062247-00

Inspection certificate 3.1 EN 10204

A05 ORIGINATOR OF THE DOCUMENT
 ArcelorMittal Bremen GmbH
 Carl-Benz-Straße 30, 28237 Bremen
 zeugnisse.bremen@arcelormittal.com
 Telefon 0421/6482813

A09 DISPATCH NOTE
 DATE

A06.1 CUSTOMER
 BE GROUP OY AB

Laiturikatu 2
 15140 Lahti
 Finland

A08.1 MANUFACTURER'S ORDER NR
 DATE
 AGENCY'S ORDER NR.

A06.2 CONSIGNEE
 BE Group OY AB, KELAVARASTO
 VANHANRADANKATU 42
 15522 LAHTI
 Finland

A07 CUSTOMER'S ORDER NUMBER
 P089504/P089504-2


A10 PART NUMBER
 2101750170

PRODUCT: hot rolled pickled sheet
 TERMS OF DELIVERY: EN 10051 (2010)

QUALITY: AMSTRONG®355MC
 S355MC

STANDARD: AM FCE
 EN 10149-2 (00-09-2013)

JITZ 1.79



ArcelorMittal Bremen GmbH, Postfach 210220, 28222 BREMEN

BE GROUP OY AB

Laiturikatu 2

15140 Lahti

Finland



ArcelorMittal Bremen GmbH
Postfach 210220
28222 BREMEN
Carl-Benz-Strasse 30
28237 BREMEN
Telefon 0421/6480
Telefax 0421/6482251

A02 CERTIFICATE
Page: 02 / 03
20210062247-00
Inspection certificate 3.1 EN 10204

A03
A09 DISPATCH NOTE
DATE
A08.1 MANUFACTURER'S ORDER NR
DATE
AGENCY'S ORDER NR.
A07 CUSTOMER'S ORDER NUMBER
A10 PART NUMBER

A06.1 CUSTOMER
BE GROUP OY AB
Laiturikatu 2
15140 Lahti
Finland
A06.2 CONSIGNEE
BE Group OY AB, KELAVARASTO
VANHANRADANKATU 42
15522 LAHTI
Finland

PRODUCT: hot rolled pickled sheet
TERMS OF DELIVERY: EN 10051 (2010)

QUALITY: AMSTRONG®355MC
STANDARD: AM FCE
EN 10149-2 (00-09-2013)

JITZ 1.79

A08.2 ITEM	B09 THICKNESS mm	B10 WIDTH mm	B11 LENGTH mm
2	4.00	1500.00	3000.00

A08.2 ITEM	B07.1 COILNO	B07.1 PART	B08 WEIGHT AMOUNT kg	B08 HEAT	CHEMICAL ANALYSIS																		
					C %	Si %	Mn %	P %	S %	Cu %	Al %	N %	B %	V %	Ti %	Nb %	Cr %	Ni %	Mo %	As %	Sn %		
	679072	00100	2790	20	039012	0.722	0.158	0.5336	0.090	0.037	0.214	0.386	0.047	0.001	0.010	0.010	0.237	0.299	0.358	0.032	0.021	0.018	
	4859005				039012	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	679072	00200	2835	20	039012	0.722	0.158	0.5336	0.090	0.037	0.214	0.386	0.047	0.001	0.010	0.010	0.237	0.299	0.358	0.032	0.021	0.018	
	4859006				039012	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	679072	00300	2830	20	039012	0.722	0.158	0.5336	0.090	0.037	0.214	0.386	0.047	0.001	0.010	0.010	0.237	0.299	0.358	0.032	0.021	0.018	
	4859007				039012	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	679072	00400	2840	20	039012	0.722	0.158	0.5336	0.090	0.037	0.214	0.386	0.047	0.001	0.010	0.010	0.237	0.299	0.358	0.032	0.021	0.018	
	4859008				039012	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	679072	00500	2845	20	039012	0.722	0.158	0.5336	0.090	0.037	0.214	0.386	0.047	0.001	0.010	0.010	0.237	0.299	0.358	0.032	0.021	0.018	
	4859009				039012	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	679072	00600	2845	20	039012	0.722	0.158	0.5336	0.090	0.037	0.214	0.386	0.047	0.001	0.010	0.010	0.237	0.299	0.358	0.032	0.021	0.018	
	4859010				039012	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	679072	00700	2835	20	039012	0.722	0.158	0.5336	0.090	0.037	0.214	0.386	0.047	0.001	0.010	0.010	0.237	0.299	0.358	0.032	0.021	0.018	
	4859011				039012	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	679072	00800	2560	18	039012	0.722	0.158	0.5336	0.090	0.037	0.214	0.386	0.047	0.001	0.010	0.010	0.237	0.299	0.358	0.032	0.021	0.018	
	4859015				039012	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
TOTAL	8		22380																				
TOTAL	8		22380																				

A08.2 ITEM	B07.1 COILNO	B07.1 PART	B13 WEIGHT AMOUNT kg	B08 WEIGHT AMOUNT	B08 HEAT	TENSILE TEST			BENDTEST		
						C02 PR	C04 MAZ °C	C03 Yield strength MPa	C11 Re MPa	C12 Rm MPa	C13 A50mm %

C02 test direction relating to rolling direction (0°= L; 90°= T)
C04 specimen condition V:aged F: fresh N: normalised

2

ArcelorMittal
 ArcelorMittal Bremen GmbH
 Postfach 210220
 28222 BREMEN
 Carl-Benz-Strasse 30
 28237 BREMEN
 Telefon 0421/6480
 Telefax 0421/6482251

A02 CERTIFICATE
 Page: 03 / 03
20210062247-00
 Inspection certificate 3.1 EN 10204

A03
 A09 DISPATCH NOTE
 DATE
 A08.1 MANUFACTURER'S ORDER NR
 DATE
 AGENCY'S ORDER NR.
 A07 CUSTOMER'S ORDER NUMBER
 P089504/P089504-2
 A10 PART NUMBER
 2101750170

A06.1 CUSTOMER
BE GROUP OY AB
 Laiturikatu 2
 15140 Lahti
 Finland
 A06.2 CONSIGNEE
BE Group OY AB, KELAVARASTO
 VANHANRADANKATU 42
 15522 LAHTI
 Finland

PRODUCT: hot rolled pickled sheet
 QUALITY: **AMSTRONG®355MC**
 STANDARD: **AM FCE**
 EN 10149-2 (00-09-2013)
 TERMS OF DELIVERY: **EN 10051 (2010)**
 S355MC

JITZ 1.79

A08.2 ITEM	B09 THICKNESS mm	B10 WIDTH mm	B11 LENGTH mm
2	4.00	1500.00	3000.00

A08.2 ITEM	B07.1 COIL NO	B07.1 PART	B08 AMOUNT	B07.2 HEAT	TENSILE TEST				BENDTEST			
					B13 WEIGHT kg	C02 PR °	C04 MAZ °C	C03 Temp °C	C11 Yield Re MPa	C12 p. strength Rm MPa	C13 A50mm %	C50 Fa
2	679072	00100	2790	20	039012	0	F	20	395	480	28	1
	4859005				039012	90	F	20	398	483	34.5	
	679072	00200	2835	20	039012	0	F	20	395	480	28	1
	4859006				039012	90	F	20	398	483	34.5	
	679072	00300	2830	20	039012	0	F	20	395	480	28	1
	4859007				039012	90	F	20	398	483	34.5	
	679072	00400	2840	20	039012	0	F	20	395	480	28	1
	4859008				039012	90	F	20	398	483	34.5	
	679072	00500	2845	20	039012	0	F	20	395	480	28	1
	4859009				039012	90	F	20	398	483	34.5	
	679072	00600	2845	20	039012	0	F	20	395	480	28	1
	4859010				039012	90	F	20	398	483	34.5	
	679072	00700	2835	20	039012	0	F	20	395	480	28	1
	4859011				039012	90	F	20	398	483	34.5	
	679072	00800	2560	18	039012	0	F	20	395	480	28	1
	4859015				039012	90	F	20	398	483	34.5	

TOTAL	8	22380
	8	22380

We certify hereby that the delivery complies with the above mentioned specification.



QUALITY DEPARTMENT
 SITE EXPERT FOR INSPECTION
 Witt

[Signature]

BREMEN 15.09.2021

C02 test direction relating to rolling direction (0°= L; 90°= T)
 C04 specimen condition V:aged F:fresh N:normalised