



ArcelorMittal Bremen GmbH
 Postfach 210220
 28222 BREMEN
 Carl-Benz-Strasse 30
 28237 BREMEN
 Telefon 0421/6480
 Telefax 0421/6482251

A02 CERTIFICATE
 Page: 01 / 04
20210065185-00

Inspection certificate 3.1 EN 10204
 A05 ORIGINATOR OF THE DOCUMENT
 ArcelorMittal Bremen GmbH
 Carl-Benz-Strasse 30, 28237 Bremen
 zeugnisse.bremen@arcelormittal.com
 Telefon 0421/6482813

A09 DISPATCH NOTE
 DATE
 A08.1 MANUFACTURER'S ORDER NR
 DATE
 AGENCY'S ORDER NR.
 A07 CUSTOMER'S ORDER NUMBER
 P089117/P089117-5
 A10 PART NUMBER
 2101750410

A06.1 CUSTOMER
BE GROUP OY AB
 Laiturikatu 2
 15140 Lahti
 Finland
 A06.2 CONSIGNEE
BE Group OY AB, KELAVARASTO
 VANHANRADANKATU 42
 15522 LAHTI
 Finland

0000130335
 28.09.2021
 2187185
 08.03.2021
 GH13BYH001005


PRODUCT: hot rolled pickled sheet
 TERMS OF DELIVERY: **EN 10051 (2010)**

QUALITY: **AMSTRONG®355MC**
S355MC

STANDARD: **AM FCE**
EN 10149-2 (00-09-2013)

JITZ 1.79

ArcelorMittal Bremen GmbH, Postfach 210220, 28222 BREMEN
 BE GROUP OY AB
 Laiturikatu 2
 15140 Lahti
 Finland



A02 CERTIFICATE
 Page: 02 / 04
20210065185-00
 Inspection certificate 3.1 EN 10204

A03
20210065185-00
 A09 DISPATCH NOTE
 DATE
 28.09.2021

A06.1 CUSTOMER
BE GROUP OY AB
 Laiturikatu 2
 15140 Lahti
 Finland

A06.2 CONSIGNEE
BE Group OY AB, KELAVARASTO
VANHANRADANKATU 42
15522 LAHTI
Finland

A08.1 MANUFACTURER'S ORDER NR **2187185**
 DATE 08.03.2021
 AGENCY'S ORDER NR. GH13BYH001005
 A07 CUSTOMER'S ORDER NUMBER
 P089117/P089117-5
 A10 PART NUMBER
 2101750410


PRODUCT: hot rolled pickled sheet
 QUALITY: **AMSTRONG®355MC**
 STANDARD: **AM FCE**
 EN 10149-2 (00-09-2013)
 TERMS OF DELIVERY: **EN 10051 (2010)**
 S355MC

A08.2 ITEM	B09 THICKNESS mm	B10 WIDTH mm	B11 LENGTH mm
5	6.00	1500.00	3000.00

A08.2 ITEM	B07.1 COILNO	B08 PART	B13 WEIGHT kg	B07.2 HEAT	CHEMICAL ANALYSIS																					
					C71 %	C72 %	C73 %	C74 %	C75 %	C76 %	C77 %	C78 %	C79 %	C80 %	C81 %	C82 %	C83 %	C84 %	C85 %	C86 %	C87 %	C88 %	C89 %	C90 %		
5	679039	00600	2790	13	039014	.0704	.0143	.5412	.0117	.0033	.0245	.0297	.0045	.0001	.0068	.0010	.0250	.0316	.0383	.0038	.0019	.0018	.0000	.0000	.0000	.0000
	4860743				039014	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
	679039	00700	2780	13	039014	.0704	.0143	.5412	.0117	.0033	.0245	.0297	.0045	.0001	.0068	.0010	.0250	.0316	.0383	.0038	.0019	.0018	.0000	.0000	.0000	.0000
	4860744				039014	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
	679039	00800	2785	13	039014	.0704	.0143	.5412	.0117	.0033	.0245	.0297	.0045	.0001	.0068	.0010	.0250	.0316	.0383	.0038	.0019	.0018	.0000	.0000	.0000	.0000
	4860745				039014	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
	679039	00900	2785	13	039014	.0704	.0143	.5412	.0117	.0033	.0245	.0297	.0045	.0001	.0068	.0010	.0250	.0316	.0383	.0038	.0019	.0018	.0000	.0000	.0000	.0000
	4860746				039014	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
	679039	01000	2785	13	039014	.0704	.0143	.5412	.0117	.0033	.0245	.0297	.0045	.0001	.0068	.0010	.0250	.0316	.0383	.0038	.0019	.0018	.0000	.0000	.0000	.0000
	4860760				039014	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
	679039	01100	1075	5	039014	.0704	.0143	.5412	.0117	.0033	.0245	.0297	.0045	.0001	.0068	.0010	.0250	.0316	.0383	.0038	.0019	.0018	.0000	.0000	.0000	.0000
	4860761				039014	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
	679040	00200	2780	13	039013	.0707	.0149	.5297	.0105	.0051	.0204	.0347	.0036	.0001	.0015	.0008	.0237	.0282	.0371	.0043	.0019	.0017	.0000	.0000	.0000	.0000
	4860713				039013	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
	679040	00300	2780	13	039013	.0707	.0149	.5297	.0105	.0051	.0204	.0347	.0036	.0001	.0015	.0008	.0237	.0282	.0371	.0043	.0019	.0017	.0000	.0000	.0000	.0000
	4860714				039013	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
	679040	00400	2780	13	039013	.0707	.0149	.5297	.0105	.0051	.0204	.0347	.0036	.0001	.0015	.0008	.0237	.0282	.0371	.0043	.0019	.0017	.0000	.0000	.0000	.0000
	4860715				039013	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
	679040	00500	2785	13	039013	.0707	.0149	.5297	.0105	.0051	.0204	.0347	.0036	.0001	.0015	.0008	.0237	.0282	.0371	.0043	.0019	.0017	.0000	.0000	.0000	.0000
	4860716				039013	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
TOTAL			10																							
TOTAL			10																							

C02 test direction relating to rolling direction (0°= L; 90°= T)	C04 specimen condition V:aged F:fresh N:normalised	C50 bend test 1:good	C43 result in J related to specimensize (C44)
--	--	----------------------	---

JITZ 1.79



ArcelorMittal Bremen GmbH
Postfach 210220
28222 BREMEN
Carl-Benz-Strasse 30
28237 BREMEN
Telefon 0421/6480
Telefax 0421/6482251

A02 CERTIFICATE
Page: 03 / 04
20210065185-00
Inspection certificate 3.1 EN 10204

A03
A05 ORIGINATOR OF THE DOCUMENT
ArcelorMittal Bremen GmbH
Carl-Benz-Strasse 30, 28237 Bremen
zeugnisse.bremen@arcelormittal.com
Telefon 0421/6482813

A09 DISPATCH NOTE
DATE
A08.1 MANUFACTURER'S ORDER NR
DATE
AGENCY'S ORDER NR.
A07 CUSTOMER'S ORDER NUMBER
A10 PART NUMBER


A06.1 CUSTOMER
BE GROUP OY AB
Laiturikatu 2
15140 Lahti
Finland
A06.2 CONSIGNEE
BE Group OY AB, KELAVARASTO
VANHANRADANKATU 42
15522 LAHTI
Finland

PRODUCT: hot rolled pickled sheet
QUALITY: **AMSTRONG®355MC**
STANDARD: **AM FCE**
TERMS OF DELIVERY: **EN 10051 (2010)**
EN 10149-2 (00-09-2013)

A08.2 ITEM	B09 THICKNESS mm	B10 WIDTH mm	B11 LENGTH mm
5	6.00	1500.00	3000.00

A08.2 ITEM	B07.1 COILNO	B07.1 PART	B08 AMOUNT	B07.2 HEAT	B13 WEIGHT kg	TENSILE TEST				BENDTEST SHOCK TEST									
						C02 PR	C04 MAZ	C03 Temp °C	C11 Yield p. strength MPa	C12 Rm strength MPa	C13 A60mm %	C50 Fa	C44 S0 cm²	C02 PR	C03 Temp °C	C42 KV2VP 1	C42 KV2VP 2	C42 KV2VP 3	C43 J
5	679039	00600	13	039014	2790	0	F	20	394	469	33	1	.8	0	-20	208	206	210	208
	4860743			039014		90	F	20	421	477	34.5								
	679039	00700	13	039014	2780	0	F	20	394	469	33	1	.8	0	-20	208	206	210	208
	4860744			039014		90	F	20	421	477	34.5								
	679039	00800	13	039014	2785	0	F	20	394	469	33	1	.8	0	-20	208	206	210	208
	4860745			039014		90	F	20	421	477	34.5								
	679039	00900	13	039014	2785	0	F	20	394	469	33	1	.8	0	-20	208	206	210	208
	4860746			039014		90	F	20	421	477	34.5								
	679039	01000	13	039014	2785	0	F	20	394	469	33	1	.8	0	-20	208	206	210	208
	4860760			039014		90	F	20	421	477	34.5								
	679039	01100	5	039014	1075	0	F	20	394	469	33	1	.8	0	-20	208	206	210	208
	4860761			039014		90	F	20	421	477	34.5								
	679040	00200	13	039013	2780	0	F	20	373	461	34	1	.8	0	-20	212	216	208	212
	4860713			039013		90	F	20	395	465	31								
	679040	00300	13	039013	2780	0	F	20	373	461	34	1	.8	0	-20	212	216	208	212
	4860714			039013		90	F	20	395	465	31								
	679040	00400	13	039013	2780	0	F	20	373	461	34	1	.8	0	-20	212	216	208	212
	4860715			039013		90	F	20	395	465	31								
	679040	00500	13	039013	2785	0	F	20	373	461	34	1	.8	0	-20	212	216	208	212
	4860716			039013		90	F	20	395	465	31								
TOTAL		10			26125														
TOTAL		10			26125														

C02 test direction relating to rolling direction (0°= L; 90°= T)	C04 specimen condition V:aged F:fresh N:normalised	C50 bend test 1:good	C43 result in J related to specimensize (C44)
10			
10			



ArcelorMittal Bremen GmbH
 Postfach 210220
 28222 BREMEN
 Carl-Benz-Strasse 30
 28237 BREMEN
 Telefon 0421/6480
 Telefax 0421/6482251

A02 CERTIFICATE
 Page: 04 / 04
20210065185-00
 Inspection certificate 3.1 EN 10204

A03
20210065185-00
 A05 ORIGINATOR OF THE DOCUMENT
 ArcelorMittal Bremen GmbH
 Carl-Benz-Strasse 30, 28237 Bremen
 zeugnisse.bremen@arcelormittal.com
 Telefon 0421/6482813

A09 DISPATCH NOTE
 DATE
 A08.1 MANUFACTURER'S ORDER NR
 DATE
 AGENCY'S ORDER NR.
 A07 CUSTOMER'S ORDER NUMBER
 P089117/P089117-5
 A10 PART NUMBER
 2101750410

A06.1 CUSTOMER
BE GROUP OY AB
 Laiturikatu 2
 15140 Lahti
 Finland
 A06.2 CONSIGNEE
BE Group OY AB, KELAVARASTO
 VANHANRADANKATU 42
 15522 LAHTI
 Finland

0000130335
 28.09.2021
 2187185
 08.03.2021
 GH13BYH001005

STANDARD: **AM FCE**
EN 10149-2 (00-09-2013)
 JITZ 1.79

A08.2	B09	B10	B11
ITEM	THICKNESS	WIDTH	LENGTH
	mm	mm	mm
5	6.00	1500.00	3000.00



QUALITY DEPARTMENT
 SITE EXPERT FOR INSPECTION
 Witt

BREMEN 28.09.2021

We certify hereby that the delivery complies with the above mentioned specification.

C02 test direction relating to rolling direction (0°= L; 90°= T)	C04 specimen condition V:aged F:fresh N:normalised	C50 bend test 1:good	C43 result in J related to specimensize (C44)
--	--	----------------------	---



ArcelorMittal Bremen GmbH
 Postfach 210220
 28222 BREMEN
 Carl-Benz-Strasse 30
 28237 BREMEN
 Telefon 0421/6480
 Telefax 0421/6482251

A02 CERTIFICATE
 A03 Page: 01 / 04
20210065185-00

Inspection certificate 3.1 EN 10204
 A05 ORIGINATOR OF THE DOCUMENT
 ArcelorMittal Bremen GmbH
 Carl-Benz-Strasse 30, 28237 Bremen
 zeugnisse.bremen@arcelormittal.com
 Telefon 0421/6482813

A09 DISPATCH NOTE
 DATE
 A08.1 MANUFACTURER'S ORDER NR
 DATE
 AGENCY'S ORDER NR.
 A07 CUSTOMER'S ORDER NUMBER
 P089117/P089117-5
 A10 PART NUMBER
 2101750410

0000130335
 28.09.2021
 A08.1 MANUFACTURER'S ORDER NR
 2187185
 08.03.2021
 GH13BYH001005

A06.1 CUSTOMER
BE GROUP OY AB
 Laiturikatu 2
 15140 Lahti
 Finland
 A06.2 CONSIGNEE
BE Group OY AB, KELAVARASTO
 VANHANRADANKATU 42
 15522 LAHTI
 Finland

PRODUCT: hot rolled pickled sheet
 TERMS OF DELIVERY: **EN 10051 (2010)**

QUALITY: **AMSTRONG®355MC**
S355MC

STANDARD: **AM FCE**
EN 10149-2 (00-09-2013)

JITZ 1.79

ArcelorMittal Bremen GmbH, Postfach 210220, 28222 BREMEN
 BE GROUP OY AB
 Laiturikatu 2
 15140 Lahti
 Finland



ArcelorMittal Bremen GmbH
Postfach 210220
28222 BREMEN
Carl-Benz-Strasse 30
28237 BREMEN
Telefon 0421/6480
Telefax 0421/6482251

A02
CERTIFICATE

Inspection certificate 3.1 EN 10204

A03 Page: 02 / 04

20210065185-00

A09 DISPATCH NOTE
DATE

A08.1 MANUFACTURER'S ORDER NR. **2187185**
DATE 08.03.2021
AGENCY'S ORDER NR. GH13BYH001005

A07 CUSTOMER'S ORDER NUMBER
P089117/P089117-5

A10 PART NUMBER
2101750410

A06.1 CUSTOMER
BE GROUP OY AB

Laiturikatu 2
15140 Lahti
Finland

A06.2 CONSIGNEE
BE Group OY AB, KELAVARASTO
VANHANRADANKATU 42
15522 LAHTI
Finland

PRODUCT: hot rolled pickled sheet
TERMS OF DELIVERY: EN 10051 (2010)

QUALITY: AMSTRONG®355MC
S355MC

STANDARD: AM FCE
EN 10149-2 (00-09-2013)


JITZ 1.79

A08.2 ITEM	B09 THICKNESS mm	B10 WIDTH mm	B11 LENGTH mm	B13 WEIGHT kg
5	6.00	1500.00	3000.00	

A08.2 ITEM		B07.1 COIL NO	B08 HEAT AMOUNT	B13 WEIGHT kg	CHEMICAL ANALYSIS																					
					C71 %	C72 %	C73 %	C74 %	C75 %	C81 %	C87 %	C88 %	C89 %	C90 %	C91 %	C92 %	C93 %	C94 %	C95 %	C96 %	C97 %	C98 %	C99 %	C100 %		
					C	Si	Mn	P	S	Cu	Al	N	B	V	Ti	Nb	Cr	Ni	Mo	As	Sn					
5	679039	00600	13	2790	0.0704	0.1433	0.5412	0.1117	0.0333	0.2445	0.2997	0.0445	0.0001	0.0068	0.0100	0.0250	0.0316	0.3883	0.0338	0.0019	0.0018					
	4860743				0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
	679039	00700	13	2780	0.0704	0.1433	0.5412	0.1117	0.0333	0.2445	0.2997	0.0445	0.0001	0.0068	0.0100	0.0250	0.0316	0.3883	0.0338	0.0019	0.0018					
	4860744				0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
	679039	00800	13	2785	0.0704	0.1433	0.5412	0.1117	0.0333	0.2445	0.2997	0.0445	0.0001	0.0068	0.0100	0.0250	0.0316	0.3883	0.0338	0.0019	0.0018					
	4860745				0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
	679039	00900	13	2785	0.0704	0.1433	0.5412	0.1117	0.0333	0.2445	0.2997	0.0445	0.0001	0.0068	0.0100	0.0250	0.0316	0.3883	0.0338	0.0019	0.0018					
	4860746				0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
	679039	01000	13	2785	0.0704	0.1433	0.5412	0.1117	0.0333	0.2445	0.2997	0.0445	0.0001	0.0068	0.0100	0.0250	0.0316	0.3883	0.0338	0.0019	0.0018					
	4860760				0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
	679039	01100	5	1075	0.0704	0.1433	0.5412	0.1117	0.0333	0.2445	0.2997	0.0445	0.0001	0.0068	0.0100	0.0250	0.0316	0.3883	0.0338	0.0019	0.0018					
	4860761				0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
	679040	00200	13	2780	0.0707	0.1499	0.5297	0.1051	0.0511	0.2094	0.3471	0.0361	0.0001	0.0151	0.0088	0.0237	0.0282	0.3711	0.0443	0.0019	0.0017					
	4860713				0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
	679040	00300	13	2780	0.0707	0.1499	0.5297	0.1051	0.0511	0.2094	0.3471	0.0361	0.0001	0.0151	0.0088	0.0237	0.0282	0.3711	0.0443	0.0019	0.0017					
	4860714				0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
	679040	00400	13	2780	0.0707	0.1499	0.5297	0.1051	0.0511	0.2094	0.3471	0.0361	0.0001	0.0151	0.0088	0.0237	0.0282	0.3711	0.0443	0.0019	0.0017					
	4860715				0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
	679040	00500	13	2785	0.0707	0.1499	0.5297	0.1051	0.0511	0.2094	0.3471	0.0361	0.0001	0.0151	0.0088	0.0237	0.0282	0.3711	0.0443	0.0019	0.0017					
	4860716				0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
TOTAL	10																									

					10	26125
					10	26125

C02 test direction relating to rolling direction (0°= L; 90°= T)	C04 specimen condition V:aged F:fresh N:normalised	C50 bend test 1:good	C43 result in J related to specimensize (C44)
---	---	-------------------------	--



ArcelorMittal
 ArcelorMittal Bremen GmbH
 Postfach 210220
 28222 BREMEN
 Carl-Benz-Strasse 30
 28237 BREMEN
 Telefon 0421/6480
 Telefax 0421/6482251

A02 CERTIFICATE
 Page: 03 / 04
20210065185-00
 Inspection certificate 3.1 EN 10204

A03
A09DISPATCH NOTE
 DATE
A08.1 MANUFACTURER'S ORDER NR 2187185
 DATE 08.03.2021
AGENCY'S ORDER NR. GH13BYH001005
A07CUSTOMER'S ORDER NUMBER
 P089117/P089117-5
A10PART NUMBER
 2101750410

A06.1 CUSTOMER
BE GROUP OY AB
 Laiturikatu 2
 15140 Lahti
 Finland
A06.2 CONSIGNEE
BE Group OY AB, KELAVARASTO
 VANHANRADANKATU 42
 15522 LAHTI
 Finland

PRODUCT: hot rolled pickled sheet
QUALITY: AMSTRONG®355MC
STANDARD: AM FCE
TERMS OF DELIVERY: EN 10051 (2010)
EN 10149-2 (00-09-2013)


A08.2 ITEM	B09 THICKNESS mm	B10 WIDTH mm	B11 LENGTH mm
5	6.00	1500.00	3000.00

A08.2 ITEM	B07.1 COILNO	B07.1 PART	B08 AMOUNT	B07.2 HEAT	B13 WEIGHT kg	TENSILE TEST				BENDTEST SHOCK TEST									
						C02 PR	C04 MAZ	C03 Temp °C	C11 Yield p. strength MPa	C12 Rm MPa	C13 A60mm %	C50 Fa	C44 S0 cm²	C02 PR	C03 Temp °C	C42 KV2VP 1	C42 KV2VP 2	C42 KV2VP 3	C43 J
5	679039	00600	13	039014	2790	0	F	20	394	469	33	1	.8	0	-20	208	206	210	208
		4860743		039014		90	F	20	421	477	34.5								
	679039	00700	13	039014	2780	0	F	20	394	469	33	1	.8	0	-20	208	206	210	208
		4860744		039014		90	F	20	421	477	34.5								
	679039	00800	13	039014	2785	0	F	20	394	469	33	1	.8	0	-20	208	206	210	208
		4860745		039014		90	F	20	421	477	34.5								
	679039	00900	13	039014	2785	0	F	20	394	469	33	1	.8	0	-20	208	206	210	208
		4860746		039014		90	F	20	421	477	34.5								
	679039	01000	13	039014	2785	0	F	20	394	469	33	1	.8	0	-20	208	206	210	208
		4860760		039014		90	F	20	421	477	34.5								
	679039	01100	5	039014	1075	0	F	20	394	469	33	1	.8	0	-20	208	206	210	208
		4860761		039014		90	F	20	421	477	34.5								
	679040	00200	13	039013	2780	0	F	20	373	461	34	1	.8	0	-20	212	216	208	212
		4860713		039013		90	F	20	395	465	31								
	679040	00300	13	039013	2780	0	F	20	373	461	34	1	.8	0	-20	212	216	208	212
		4860714		039013		90	F	20	395	465	31								
	679040	00400	13	039013	2780	0	F	20	373	461	34	1	.8	0	-20	212	216	208	212
		4860715		039013		90	F	20	395	465	31								
	679040	00500	13	039013	2785	0	F	20	373	461	34	1	.8	0	-20	212	216	208	212
		4860716		039013		90	F	20	395	465	31								
		10			26125														
		10			26125														

TOTAL	10	26125
--------------	----	-------

C02 test direction relating to rolling direction (0°= L; 90°= T)	C04 specimen condition V:aged F:fresh N:normalised	C50 bend test 1:good	C43 result in J related to specimensize (C44)
--	--	----------------------	---

JITZ 1.79



ArcelorMittal Bremen GmbH
 Postfach 210220
 28222 BREMEN
 Carl-Benz-Strasse 30
 28237 BREMEN
 Telefon 0421/6480
 Telefax 0421/6482251

A02 CERTIFICATE
 Page: 04 / 04
20210065185-00
 Inspection certificate 3.1 EN 10204

A03
20210065185-00
 A05 ORIGINATOR OF THE DOCUMENT
 ArcelorMittal Bremen GmbH
 Carl-Benz-Strasse 30, 28237 Bremen
 zeugnisse.bremen@arcelormittal.com
 Telefon 0421/6482813

A09 DISPATCH NOTE
 DATE
 A08.1 MANUFACTURER'S ORDER NR
 DATE
 AGENCY'S ORDER NR.
 A07 CUSTOMER'S ORDER NUMBER
 P089117/P089117-5
 A10 PART NUMBER
 2101750410

A06.1 CUSTOMER
BE GROUP OY AB
 Laiturikatu 2
 15140 Lahti
 Finland
 A06.2 CONSIGNEE
BE Group OY AB, KELAVARASTO
 VANHANRADANKATU 42
 15522 LAHTI
 Finland

0000130335
 28.09.2021
 2187185
 08.03.2021
 GH13BYH001005

PRODUCT: hot rolled pickled sheet
 TERMS OF DELIVERY: **EN 10051 (2010)**
 QUALITY: **AMSTRONG®355MC**
S355MC
 STANDARD: **AM FCE**
EN 10149-2 (00-09-2013)

A08.2	B09	B10	B11
ITEM	THICKNES	WIDTH	LENGTH
	mm	mm	mm
5	6.00	1500.00	3000.00



QUALITY DEPARTMENT
 SITE EXPERT FOR INSPECTION
 Witt

We certify hereby that the delivery complies with the above mentioned specification.

BREMEN 28.09.2021

C02 test direction relating to rolling direction (0°= L; 90°= T)	C04 specimen condition V:aged F:fresh N:normalised	C50 bend test 1:good	C43 result in J related to specimensize (C44)
--	--	----------------------	---

JITZ 1.79