



ArcelorMittal Bremen GmbH
 Postfach 210220
 28222 BREMEN
 Carl-Benz-Strasse 30
 28237 BREMEN
 Telefon 0421/6480
 Telefax 0421/6482251

A02 CERTIFICATE
 A03 Page: 01 / 04
20220000936-00

Inspection certificate 3.1 EN 10204

A05 ORIGINATOR OF THE DOCUMENT
 ArcelorMittal Bremen GmbH
 Carl-Benz-Straße 30, 28237 Bremen
 zeugnisse.bremen@arcelormittal.com
 Telefon 0421/6482813

A09 DISPATCH NOTE
 DATE

A06.1 CUSTOMER
 BE GROUP OY AB

Laiturikatu 2
 15140 Lahti
 Finland

A08.1 MANUFACTURER'S ORDER NR
 DATE
 AGENCY'S ORDER NR.

A06.2 CONSIGNEE
 BE Group OY AB, KELAVARASTO
 VANHANRADANKATU 42
 15522 LAHTI
 Finland

A07 CUSTOMER'S ORDER NUMBER
 P091136/P091136-3


A10 PART NUMBER
 2101750290

PRODUCT: hot rolled pickled sheet
 TERMS OF DELIVERY: EN 10051 (2010)

QUALITY: AMSTRONG®355MC
 S355MC

STANDARD: AM FCE
 EN 10149-2 (00-09-2013)

JITZ 1.79




ArcelorMittal Bremen GmbH, Postfach 210220, 28222 BREMEN

BE GROUP OY AB

Laiturikatu 2

15140 Lahti

Finland



ArcelorMittal Bremen GmbH
 Postfach 210220
 28222 BREMEN
 Carl-Benz-Strasse 30
 28237 BREMEN
 Telefon 0421/6480
 Telefax 0421/6482251

A02 CERTIFICATE

Page: 02 / 04
20220000936-00

Inspection certificate 3.1 EN 10204

A05 ORIGINATOR OF THE DOCUMENT
 ArcelorMittal Bremen GmbH
 Carl-Benz-Strasse 30, 28237 Bremen
 zeugnisse.bremen@arcelormittal.com
 Telefon 0421/6482813

A09 DISPATCH NOTE
 DATE
 A08.1 MANUFACTURER'S ORDER NR
 DATE
 AGENCY'S ORDER NR.
 A07 CUSTOMER'S ORDER NUMBER
 P091136/P091136-3
 A10 PART NUMBER
 2101750290

A06.1 CUSTOMER
 BE GROUP OY AB
 Laiturikatu 2
 15140 Lahti
 Finland
 A06.2 CONSIGNEE
 BE Group OY AB, KELAVARASTO
 VANHANRADANKATU 42
 15522 LAHTI
 Finland


PRODUCT: hot rolled pickled sheet
 QUALITY: **AMSTRONG®355MC**
 STANDARD: **AM FCE**
 EN 10149-2 (00-09-2013)
 TERMS OF DELIVERY: **EN 10051 (2010)**
 S355MC

A08.2 ITEM	B09 THICKNESS mm	B10 WIDTH mm	B11 LENGTH mm
3	5.00	1500.00	3000.00

A08.2 ITEM	B07.1 COILNO	B07.1 PART	B08 WEIGHT kg	B08.2 HEAT	CHEMICAL ANALYSIS																				
					C71 %	C72 %	C73 %	C74 %	C75 %	C76 %	C77 %	C78 %	C79 %	C80 %	C81 %	C82 %	C83 %	C84 %	C85 %	C86 %	C87 %	C88 %	C89 %	C90 %	
3	498341	00100	2855	16	041728	041728	041728	041728	041728	041728	041728	041728	041728	041728	041728	041728	041728	041728	041728	041728	041728	041728	041728	041728	041728
	4894469				0.723	0.137	0.5307	0.075	0.043	0.182	0.325	0.051	0.0001	0.0005	0.012	0.228	0.316	0.326	0.028	0.013	0.0017	0.0000	0.0000	0.0000	0.0000
	498343	00200	2850	16	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727
	4894459				0.723	0.158	0.5514	0.088	0.039	0.149	0.422	0.040	0.001	0.010	0.013	0.240	0.276	0.321	0.035	0.013	0.0016	0.0000	0.0000	0.0000	0.0000
	498343	00300	2850	16	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727
	4894460				0.723	0.158	0.5514	0.088	0.039	0.149	0.422	0.040	0.001	0.010	0.013	0.240	0.276	0.321	0.035	0.013	0.0016	0.0000	0.0000	0.0000	0.0000
	498343	00400	2855	16	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727
	4894461				0.723	0.158	0.5514	0.088	0.039	0.149	0.422	0.040	0.001	0.010	0.013	0.240	0.276	0.321	0.035	0.013	0.0016	0.0000	0.0000	0.0000	0.0000
	498343	00500	2850	16	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727
	4894462				0.723	0.158	0.5514	0.088	0.039	0.149	0.422	0.040	0.001	0.010	0.013	0.240	0.276	0.321	0.035	0.013	0.0016	0.0000	0.0000	0.0000	0.0000
	498343	00600	2855	16	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727
	4894463				0.723	0.158	0.5514	0.088	0.039	0.149	0.422	0.040	0.001	0.010	0.013	0.240	0.276	0.321	0.035	0.013	0.0016	0.0000	0.0000	0.0000	0.0000
	498343	00700	2855	16	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727
	4894464				0.723	0.158	0.5514	0.088	0.039	0.149	0.422	0.040	0.001	0.010	0.013	0.240	0.276	0.321	0.035	0.013	0.0016	0.0000	0.0000	0.0000	0.0000
	498343	00800	2855	16	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727
	4894465				0.723	0.158	0.5514	0.088	0.039	0.149	0.422	0.040	0.001	0.010	0.013	0.240	0.276	0.321	0.035	0.013	0.0016	0.0000	0.0000	0.0000	0.0000
	498343	00900	2320	13	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727	041727
	4894468				0.723	0.158	0.5514	0.088	0.039	0.149	0.422	0.040	0.001	0.010	0.013	0.240	0.276	0.321	0.035	0.013	0.0016	0.0000	0.0000	0.0000	0.0000
	9		25145																						
TOTAL	9		25145																						

C02 test direction relating to rolling direction (0°= L; 90°= T)	
C04 specimen condition V:aged F:fresh N:normalised	
C50 bend test 1:good	
C43 result in J related to specimensize (C44)	

JITZ 1.79



ArcelorMittal Bremen GmbH
Postfach 210220
28222 BREMEN
Carl-Benz-Strasse 30
28237 BREMEN
Telefon 0421/6480
Telefax 0421/6482251

A02 CERTIFICATE

Page: 03 / 04
20220000936-00

Inspection certificate 3.1 EN 10204

A03

A05 ORIGINATOR OF THE DOCUMENT
ArcelorMittal Bremen GmbH
Carl-Benz-Strasse 30, 28237 Bremen
zeugnisse.bremen@arcelormittal.com
Telefon 0421/6482813

A09 DISPATCH NOTE
DATE
A08.1 MANUFACTURER'S ORDER NR
DATE
AGENCY'S ORDER NR.
A07 CUSTOMER'S ORDER NUMBER
A10 PART NUMBER

A06.1 CUSTOMER
BE GROUP OY AB
Laiturikatu 2
15140 Lahti
Finland
A06.2 CONSIGNEE
BE Group OY AB, KELAVARASTO
VANHANRADANKATU 42
15522 LAHTI
Finland

0000162311
05.01.2022
2192416
24.05.2021
GH14BYH006003


PRODUCT: hot rolled pickled sheet
TERMS OF DELIVERY: EN 10051 (2010)
QUALITY: AMSTRONG®355MC
STANDARD: AM FCE
EN 10149-2 (00-09-2013)
JITZ 1.79

A08.2 ITEM	B09 THICKNESS mm	B10 WIDTH mm	B11 LENGTH mm
3	5.00	1500.00	3000.00

A08.2 ITEM	B07.1 COILNO	B07.1 PART	B08 WEIGHT kg	B07.2 HEAT	TENSILE TEST				BENDTEST SHOCK TEST										
					C02 PR	C04 MAZ	C03 Temp °C	C11 Yield Re MPa	C12 p. strength Rm MPa	C13 A55mm %	C50 Fa	C44 S0 cm²	C02 PR	C03 Temp °C	C42 1 KV2VP	C42 2 KV2VP	C42 3 KV2VP		
3	498341	00100	2855	16	041728	0	F	20	404	488	34	1	.8	0	-20	224	216	226	222
	489469				041728	90	F	20	410	483	32								
	498343	00200	2850	16	041727	0	F	20	406	489	34	1	.8	0	-20	224	206	214	214
	489459				041727	90	F	20	413	485	31.5								
	498343	00300	2850	16	041727	0	F	20	406	489	34	1	.8	0	-20	224	206	214	214
	489460				041727	90	F	20	413	485	31.5								
	498343	00400	2855	16	041727	0	F	20	406	489	34	1	.8	0	-20	224	206	214	214
	489461				041727	90	F	20	413	485	31.5								
	498343	00500	2850	16	041727	0	F	20	406	489	34	1	.8	0	-20	224	206	214	214
	489462				041727	90	F	20	413	485	31.5								
	498343	00600	2855	16	041727	0	F	20	406	489	34	1	.8	0	-20	224	206	214	214
	489463				041727	90	F	20	413	485	31.5								
	498343	00700	2855	16	041727	0	F	20	406	489	34	1	.8	0	-20	224	206	214	214
	489464				041727	90	F	20	413	485	31.5								
	498343	00800	2855	16	041727	0	F	20	406	489	34	1	.8	0	-20	224	206	214	214
	489465				041727	90	F	20	413	485	31.5								
	498343	00900	2320	13	041727	0	F	20	406	489	34	1	.8	0	-20	224	206	214	214
	489468				041727	90	F	20	413	485	31.5								
TOTAL			9	25145															
TOTAL			9	25145															

C02 test direction relating to rolling direction (0°= L; 90°= T)	C04 specimen condition V:aged F:fresh N:normalised	C50 bend test 1:good	C43 result in J related to specimensize (C44)

We certify hereby that the delivery complies with the above mentioned specification.



ArcelorMittal Bremen GmbH
Postfach 210220
28222 BREMEN
Carl-Benz-Strasse 30
28237 BREMEN
Telefon 0421/6480
Telefax 0421/6482251

A02 CERTIFICATE

Page: 04 / 04
20220000936-00
Inspection certificate 3.1 EN 10204

A03

A05 ORIGINATOR OF THE DOCUMENT
ArcelorMittal Bremen GmbH
Carl-Benz-Strasse 30, 28237 Bremen
zeugnisse.bremen@arcelormittal.com
Telefon 0421/6482813

A09 DISPATCH NOTE DATE
0000162311
05.01.2022

A08.1 MANUFACTURER'S ORDER NR
2192416
DATE 24.05.2021
AGENCY'S ORDER NR. GH14BYH006003

A07 CUSTOMER'S ORDER NUMBER
P091136/P091136-3

A10 PART NUMBER
2101750290

A06.1 CUSTOMER
BE GROUP OY AB
Laiturikatu 2
15140 Lahti
Finland

A06.2 CONSIGNEE
BE Group OY AB, KELAVARASTO
VANHANRADANKATU 42
15522 LAHTI
Finland

PRODUCT: hot rolled pickled sheet
TERMS OF DELIVERY: EN 10051 (2010)

QUALITY: AMSTRONG® 355MC
S355MC

STANDARD: AM FCE
EN 10149-2 (00-09-2013)

JITZ 1.79

ITEM	THICKNESS	B09	B10	B11	LENGTH
	mm	mm	mm	mm	mm
3	5.00	1500.00	3000.00		



QUALITY DEPARTMENT
SITE EXPERT FOR INSPECTION
Kramer

Janke Kramer

BREMEN 05.01.2022

C02 test direction relating to rolling direction (0°= L; 90°= T)	C04 specimen condition V:aged F:fresh N:normalised	C50 bend test 1:good	C43 result in J related to specimensize (C44)
--	--	----------------------	---