



ArcelorMittal Bremen GmbH  
Postfach 210220  
28222 BREMEN  
Carl-Benz-Strasse 30  
28237 BREMEN  
Telefon 0421/6480  
Telefax 0421/6482251

A02 CERTIFICATE  
A03 Page: 01 / 04  
20220043923-00

Inspection certificate 3.1 EN 10204

A05 ORIGINATOR OF THE DOCUMENT  
ArcelorMittal Bremen GmbH  
Carl-Benz-Straße 30, 28237 Bremen  
zeugnisse.bremen@arcelormittal.com  
Telefon 0421/6482813

A09 DISPATCH NOTE  
DATE 0000221933  
16.06.2022

A08.1 MANUFACTURER'S ORDER NR 2217161  
DATE 08.03.2022  
AGENCY'S ORDER NR. GH22ALL005001

A07 CUSTOMER'S ORDER NUMBER  
42005/42005/1

A10 PART NUMBER  
2388502

A06.1 CUSTOMER  
Oy AluSteel Ab

Telakkatie 4  
23500 Uusikaupunki  
Finland

A06.2 CONSIGNEE  
Oy AluSteel Ab

Hepokarintie 9  
23500 UUSIKAUPUNKI  
Finland

PRODUCT: hot rolled pickled sheet

QUALITY: **Amstrong® Ultra 650MC**  
S650MC

STANDARD: **AM FCE**  
EN 10149-2 (00-09-2013)

TERMS OF DELIVERY: **EN 10051 (2010)**

JITZ 1.79

ArcelorMittal Bremen GmbH, Postfach 210220, 28222 BREMEN

Oy AluSteel Ab

Telakkatie 4

23500 Uusikaupunki

Finland



ArcelorMittal Bremen GmbH  
 Postfach 210220  
 28222 BREMEN  
 Carl-Benz-Strasse 30  
 28237 BREMEN  
 Telefon 0421/6480  
 Telefax 0421/6482251

A02 CERTIFICATE  
**A03** Page: 02/ 04  
**20220043923-00**  
 Inspection certificate 3.1 EN 10204  
 A05 ORIGINATOR OF THE DOCUMENT  
 ArcelorMittal Bremen GmbH  
 Carl-Benz-Straße 30, 28237 Bremen  
 zeugnisse.bremen@arcelormittal.com  
 Telefon 0421/6482813

A09 DISPATCH NOTE  
 DATE 0000221933  
 16.06.2022  
 A08.1 MANUFACTURER'S ORDER NR **2217161**  
 DATE 08.03.2022  
 AGENCY'S ORDER NR. GH22ALL005001  
 A07 CUSTOMER'S ORDER NUMBER  
 42005/42005/1  
 A10 PART NUMBER  
 2388502

A06.1 CUSTOMER  
**Oy AluSteel Ab**  
**Telakkatie 4**  
**23500 Uusikaupunki**  
**Finnland**  
 A06.2 CONSIGNEE  
**Oy AluSteel Ab**  
**Hepokarintie 9**  
**23500 UUSIKAUPUNKI**  
**Finnland**

PRODUCT: hot rolled pickled sheet      QUALITY: **Amstrong® Ultra 650MC**      STANDARD: **AM FCE**  
 TERMS OF DELIVERY: **EN 10051 (2010)**      **S650MC**      **EN 10149-2 (00-09-2013)**

JITZ 1.79

A08.2 ITEM	B09 THICKNES mm	B10 WIDTH mm	B11 LENGTH mm
1	3.00	1250.00	3000.00

A08.2 ITEM	B07.1 COILNO	B07.1 PART	B13 WEIGHT kg	B08 AMOUNT	B07.2 HEAT	CHEMICAL ANALYSIS																	
						C71	C73	C72	C74	C75	C81	C77	C76	C83	C84	C78	C82	C79	C80	C85	As	Sn	
						C %	Si %	Mn %	P %	S %	Cu %	Al %	N %	B %	V %	Ti %	Nb %	Cr %	Ni %	Mo %	As %	Sn %	
1	672563	00100	2320	27	047494	.0586	.0215	1.819	.0075	.0010	.0195	.0455	.0042	.0001	.0028	.1317	.0724	.0309	.0298	.0046	.0023	.0021	
	4958987				047494	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	
	672563	00200	2325	27	047494	.0586	.0215	1.819	.0075	.0010	.0195	.0455	.0042	.0001	.0028	.1317	.0724	.0309	.0298	.0046	.0023	.0021	
	4958988				047494	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	
	672563	00300	2315	27	047494	.0586	.0215	1.819	.0075	.0010	.0195	.0455	.0042	.0001	.0028	.1317	.0724	.0309	.0298	.0046	.0023	.0021	
	4958989				047494	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	
	672563	00400	2320	27	047494	.0586	.0215	1.819	.0075	.0010	.0195	.0455	.0042	.0001	.0028	.1317	.0724	.0309	.0298	.0046	.0023	.0021	
	4958990				047494	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	
	672563	00500	2330	27	047494	.0586	.0215	1.819	.0075	.0010	.0195	.0455	.0042	.0001	.0028	.1317	.0724	.0309	.0298	.0046	.0023	.0021	
	4958991				047494	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	
	672563	00600	2325	27	047494	.0586	.0215	1.819	.0075	.0010	.0195	.0455	.0042	.0001	.0028	.1317	.0724	.0309	.0298	.0046	.0023	.0021	
	4958992				047494	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	
	672563	00700	2325	27	047494	.0586	.0215	1.819	.0075	.0010	.0195	.0455	.0042	.0001	.0028	.1317	.0724	.0309	.0298	.0046	.0023	.0021	
	4958993				047494	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	
	672563	00800	2325	27	047494	.0586	.0215	1.819	.0075	.0010	.0195	.0455	.0042	.0001	.0028	.1317	.0724	.0309	.0298	.0046	.0023	.0021	
	4958994				047494	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	
	672563	00900	2325	27	047494	.0586	.0215	1.819	.0075	.0010	.0195	.0455	.0042	.0001	.0028	.1317	.0724	.0309	.0298	.0046	.0023	.0021	
	4958995				047494	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	
	672563	01000	2320	27	047494	.0586	.0215	1.819	.0075	.0010	.0195	.0455	.0042	.0001	.0028	.1317	.0724	.0309	.0298	.0046	.0023	.0021	
	4958996				047494	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	
	672563	01100	1725	20	047494	.0586	.0215	1.819	.0075	.0010	.0195	.0455	.0042	.0001	.0028	.1317	.0724	.0309	.0298	.0046	.0023	.0021	
	4958997				047494	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	
	11		24955																				
TOTAL	11		24955																				

C02 test direction relating to rolling direction (0°= L; 90°= T)      C04 specimen condition V:aged F:fresh N:normalised



ArcelorMittal Bremen GmbH  
 Postfach 210220  
 28222 BREMEN  
 Carl-Benz-Strasse 30  
 28237 BREMEN  
 Telefon 0421/6480  
 Telefax 0421/6482251

A02 CERTIFICATE  
 A03 Page: 03/ 04  
**20220043923-00**  
 Inspection certificate 3.1 EN 10204  
 A05 ORIGINATOR OF THE DOCUMENT  
 ArcelorMittal Bremen GmbH  
 Carl-Benz-Straße 30, 28237 Bremen  
 zeugnisse.bremen@arcelormittal.com  
 Telefon 0421/6482813

A09 DISPATCH NOTE  
 DATE 0000221933  
 16.06.2022  
 A08.1 MANUFACTURER'S ORDER NR **2217161**  
 DATE 08.03.2022  
 AGENCY'S ORDER NR. GH22ALL005001  
 A07 CUSTOMER'S ORDER NUMBER  
 42005/42005/1  
 A10 PART NUMBER  
 2388502

A06.1 CUSTOMER  
**Oy AluSteel Ab**  
 Telakkatie 4  
 23500 Uusikaupunki  
 Finland  
 A06.2 CONSIGNEE  
**Oy AluSteel Ab**  
 Hepokarintie 9  
 23500 UUSIKAUPUNKI  
 Finland

PRODUCT: hot rolled pickled sheet      QUALITY: **Amstrong® Ultra 650MC**      STANDARD: **AM FCE**  
 TERMS OF DELIVERY: **EN 10051 (2010)**      **S650MC**      **EN 10149-2 (00-09-2013)**

JITZ 1.79

A08.2 ITEM	B09 THICKNES mm	B10 WIDTH mm	B11 LENGTH mm
1	3.00	1250.00	3000.00

A08.2 ITEM	B07.1 COILNO	B07.1 PART	B13 WEIGHT kg	B08 AMOUNT	B07.2 HEAT	TENSILE TEST						BENDTEST	
						C02	C04	C03	C11	C12	C13	C50 Fa	
						PR °	MAZ	Temp °C	yield Re MPa	p. strength Rm MPa	A45mm %		
1	672563	00100	2320	27	047494	0	F	20	814	848	19.5	1	
	4958987				047494	90	F	20	828	872	15		
	672563	00200	2325	27	047494	0	F	20	814	848	19.5	1	
	4958988				047494	90	F	20	828	872	15		
	672563	00300	2315	27	047494	0	F	20	814	848	19.5	1	
	4958989				047494	90	F	20	828	872	15		
	672563	00400	2320	27	047494	0	F	20	814	848	19.5	1	
	4958990				047494	90	F	20	828	872	15		
	672563	00500	2330	27	047494	0	F	20	814	848	19.5	1	
	4958991				047494	90	F	20	828	872	15		
	672563	00600	2325	27	047494	0	F	20	814	848	19.5	1	
	4958992				047494	90	F	20	828	872	15		
	672563	00700	2325	27	047494	0	F	20	814	848	19.5	1	
	4958993				047494	90	F	20	828	872	15		
	672563	00800	2325	27	047494	0	F	20	814	848	19.5	1	
	4958994				047494	90	F	20	828	872	15		
	672563	00900	2325	27	047494	0	F	20	814	848	19.5	1	
	4958995				047494	90	F	20	828	872	15		
	672563	01000	2320	27	047494	0	F	20	814	848	19.5	1	
	4958996				047494	90	F	20	828	872	15		
	672563	01100	1725	20	047494	0	F	20	814	848	19.5	1	
	4958997				047494	90	F	20	828	872	15		
	11		24955										
TOTAL	11		24955										

C02 test direction relating to rolling direction (0°= L; 90°= T)      C04 specimen condition V:aged F:fresh N:normalised



ArcelorMittal Bremen GmbH  
 Postfach 210220  
 28222 BREMEN  
 Carl-Benz-Strasse 30  
 28237 BREMEN  
 Telefon 0421/6480  
 Telefax 0421/6482251

A02 CERTIFICATE  
 A03 Page: 04 / 04  
**20220043923-00**

Inspection certificate 3.1 EN 10204

A05 ORIGINATOR OF THE DOCUMENT  
 ArcelorMittal Bremen GmbH  
 Carl-Benz-Straße 30, 28237 Bremen  
 zeugnisse.bremen@arcelormittal.com  
 Telefon 0421/6482813

A09 DISPATCH NOTE  
 DATE  
**0000221933**  
 16.06.2022

A08.1 MANUFACTURER'S ORDER NR **2217161**  
 DATE 08.03.2022  
 AGENCY'S ORDER NR. GH22ALL005001

A07 CUSTOMER'S ORDER NUMBER  
 42005/42005/1

A10 PART NUMBER  
 2388502

A06.1 CUSTOMER  
**Oy AluSteel Ab**

**Telakkatie 4**  
**23500 Uusikaupunki**  
**Finland**

A06.2 CONSIGNEE  
**Oy AluSteel Ab**

**Hepokarintie 9**  
**23500 UUSIKAUPUNKI**  
**Finland**

PRODUCT: hot rolled pickled sheet      QUALITY: **Amstrong® Ultra 650MC**      STANDARD: **AM FCE**  
 TERMS OF DELIVERY: **EN 10051 (2010)**      **S650MC**      **EN 10149-2 (00-09-2013)**

JITZ 1.79

A08.2	B09	B10	B11
ITEM	THICKNES	WIDTH	LENGTH
	mm	mm	mm
1	3.00	1250.00	3000.00

We certify hereby that the delivery complies with the above mentioned specification.

BREMEN 16.06.2022



QUALITY DEPARTMENT  
 SITE EXPERT FOR INSPECTION  
 Witt

C02 test direction relating to rolling direction (0°= L; 90°= T)      C04 specimen condition V:aged F:fresh N:normalised