

ArcelorMittal
 ArcelorMittal Bremen GmbH
 Postfach 210220
 28222 BREMEN
 Carl-Benz-Strasse 30
 20237 BREMEN
 Telefon 0421/6480
 Telefax 0421/6482251

A02 CERTIFICATE
 Inspection certificate 3.1 EN 10204
 A03 Page: 01 / 03
20150077241-00
 A05 ORIGINATOR OF THE DOCUMENT
 ArcelorMittal Bremen GmbH
 Abnahme/Zeugnisbeschreibung
 zeugnisse.bremen@arcelormittal.com
 Telefon 0421/6482813

A09 DISPATCH NOTE
 DATE
 0000320089
 11.11.2015
 A08.1 MANUFACTURER'S ORDER NR
 DATE
 AGENCY'S ORDER NR.
 1550317
 21.07.2015
 FH5JBEY001001
 A07 CUSTOMER'S ORDER NUMBER
 P035164/F035164/001
 A10 PART NUMBER
 2101155532 4789 3.1

A06.1 CUSTOMER
 BE Group OY AB
 Helsingintie 50
 15100 Lahti
 Finland
 A06.2 CONSIGNEE
 BE GROUP OY AB
 PAAKARLANTIE 3
 20242 TURKU
 Finland

PRODUCT: hot rolled unpickled sheet
 TERMS OF DELIVERY: EN 10051 (2010)
 STANDARD: EN 10025 (00-00-2004)
 QUALITY: S355J2+N

06
 0045
CE
 ArcelorMittal Bremen
 Carl-Benz-Strabe 30
 D-28237 Bremen
 0045-CPR-0527

hot rolled unpickled sheet intended to be used in welded, bolted and riveted structures

Declaration of Performance (DoP)	
CE-QUALITY	DoP
S355J2+N	HR00017_CPR2013-07-01_FC_V005
EN 10025-2:2004	
DoP-Link	
http://dop.arcelormittal.net/pdf/HR00017_CPR2013-07-01_FC_V005_FI_FI.pdf	

ArcelorMittal Bremen GmbH, Postfach 210220, 28222 BREMEN
 BE Group OY AB
 Helsingintie 50
 15100 Lahti
 Finland

ArcelorMittal
 ArcelorMittal Bremen GmbH
 Postfach 210220
 28222 BREMEN
 Carl-Benz-Strasse 30
 20237 BREMEN
 Telefon 0421/6480
 Telefax 0421/6482251

A02 CERTIFICATE
 Inspection certificate 3.1 EN 10204

A05 ORIGINATOR OF THE DOCUMENT
 ArcelorMittal Bremen GmbH
 Abnahme/Zeugnisschreibung
 zeugnisse.bremen@arcelormittal.com
 Telefon 0421/6482813

A03 Page: 03 / 03
20150077241-00

A09 DISPATCH NOTE
 DATE
 11.11.2015

A08.1 MANUFACTURER'S ORDER NR
 DATE
 AGENCY'S ORDER NR.

A07 CUSTOMER'S ORDER NUMBER
 P035164/P035164/001

A10 PART NUMBER
 2101155532 4789 3.1

A06.1 CUSTOMER
BE Group OY AB
 Helsinginintie 50
 15100 Lehti
 Finland

A06.2 CONSIGNEE
BE GROUP OY AB
PAAKARLANTIE 3
20242 TURKU
 Finland

PRODUCT: hot rolled unpickled sheet
 STANDARD: **EN 10025 (00-00-2004)**

QUALITY: **S355J2+N**

TERMS OF DELIVERY: **EN 10051 (2010)**

JITZ 1.73

A08.2 ITEM	B09 THICKNESS mm	B10 WIDTH mm	B11 LENGTH mm
1	5.00	2000.00	6000.00

A08.2 ITEM	B07.1 COILNO	B07.1 PART	B08 WEIGHT kg	B13 WEIGHT AMOUNT kg	TENSILE TEST		BENDTESTSHOCK TEST										
					C02 PR Temp °C	C03 yield strength MPa	C11 Re MPa	C12 p. strength Rm MPa	C13 A55mm %	C44 S0 cm ²	C50 Fa	C03 PR Temp °C	C42 KV2 1 J	C42 KV2 2 J	C42 KV2 3 J	C43 KV2 in J	
1	145177	99905	1435	31065592	90	20	389	530	28.5	1	.8	0	-20	172	184	204	186
		4314412															

TOTAL	5	20525
-------	---	-------



J. Hesen

QUALITY DEPARTMENT
 SITE EXPERT FOR INSPECTION
 Hesen

We certify hereby that the delivery complies with the above mentioned specification.

BREMEN 11.11.2015

C02 test direction relating to rolling direction (0° = L; 90° = T)	C04 specimen condition V:aged F: fresh N: normalised	C50 bend test 1: good	C43 result in J related to specimensize (C44)
--	--	-----------------------	---