

Tilauksen tilaaja
KONTINO OY AB
PL 27
01301 VANTAA FINLAND
Tilauksen nro. Order No.
1111742

Tilauksen vahvistus
Order Confirmation
25299

Tilauksen vahvistus
Order Confirmation
25299

Vastaanottaja
OY KONTINO AB
HAKINTIE 8
01380 VANTAA FINLAND
Asiakkaan markki
Shipping mark

Päivämäärä
Date
26.04.2018
Valmistajan markki
Mark of the Manufacturer

Leijä
Grade
SSAB LASER 355MIL PLUS
Leikkauksen laatu
Quality Specifications
HIGH STRENGTH FORMABLE STEEL

Leikkauksen laatu
Quality Specifications
HIGH STRENGTH FORMABLE STEEL

Leikkauksen laatu
Quality Specifications
HIGH STRENGTH FORMABLE STEEL

Leikkauksen laatu
Quality Specifications
HIGH STRENGTH FORMABLE STEEL

Pos. Item	Sulatus k. arä nro Cast. test No	T-tila Cond	Vetäkö Tensile test										Täiväusko Bend test			Huom Nb	Päästö Tempering °C						
			K2	°C	RP02 MPa	RT05 MPa	REL MPa	REH MPa	1	2	3	A %	50	80	200			REH / RM	RM * A5	1	2	3	Keskiaivo Average
020	10549	322	TM	51				465	535			28									51	1.0	
020	14946	021	TM	51				464	528			28									51	1.0	
020	14946	022	TM	51				483	540			28									51	1.0	
K2: 51-BOTTOM,TRANSV. K5: 51-BENDING TEST																							
TM=THERMOMECH. TREATED																							
Pos. Item	Sulatus k. arä nro Cast. test No	Iskuusko Impact test	Sileämuutuma Ductile fracture			Erikoiskokeet Special tests			Huom Nb	Päästö Tempering °C													
			K3	°C	1	2	3	Keskiaivo Average			K4	°C	1	2	Keskiaivo Average								

K3: 151=CH-V/ISO-V(J),10X10,BOTTOM, LONGIT,KV600

Raabe Steel Works

Testaus ja tarkastus
Testing and Inspection

Minna Valkama

Valtuutettu edustaja
Authorized Inspection representative
Minna VALKAMA

Yhtiön nimi
Company Name
SSAB Europe Oy

Kotipaikka
Registered Office
HÄMEENLINNA

Osoite
Address
PL 93, P.O. Box 93
FIN-02101 RAAHE, FINLAND

Puhelin
Telephone
020 5911
+358 20 5911

Y-tunnus
Business ID
2389445-7

SSAB

ANALYYSITODISTUS ANALYSIS CERTIFICATE ANALYSEBESCHEINIGUNG COMPOSITIO CHIMIQUE CERTIFICAT СЕРТИФИКАТ АНАЛИЗА

3/3
A 25299 -002
25.04.2018

Status nro		Koe nro		Analysit % Chemical composition % Chemisch Zusammensetzung % Composition Chimique % Analiza masiv % (-ppm)												Pälvamaara Date Datum Date Date																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
Test No.	Cast No.	Test No.	Cast No.	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq	Pos.	Ceq	Ceq	Ceq

10549	020	36	.095	.02	1.48	.012	.002	.036	.046	.048	.001	.016	0.04	0.04	.003	.004	.0001							
14946	020	36	.093	.02	1.48	.010	.003	.030	.045	.049	.001	.015	0.03	0.03	.005	.004	.0002							

CEQ=C+MN/6+(CR+MO+V)/5+(NI+CU)/15

Raabe Steel Works

Testaus ja tarkastus
Prüfung und Kontrolle
Essais et Contrôle
Kokonaan ja kokonaan
Kokonaan ja kokonaan

Minna

MINNA VALKAMA

Vakuutus tarkastaja
Sachverständiger
Yhtäältä tarkastaja
Authorized inspection representative
Inspector autorisé

Yhtiön nimi Company Name: SSAB Europe Oy
Kotipaikka Registered Office: HAMEENLINNA

Osasto Address: PL 93, P.O. Box 93
FIN-02101 RAAHE, FINLAND

Puhelin Telephone: 020 5911
+358 20 5911

Y-tunnus Business ID: 2389445-7

Steel manufactured and supplied by Raabe Steel Works is free from radiation.
Породакелла на металлургическом производстве «Raabe Steel Works» и поставке
защитный слой не содержит радиации.

Declaration of performance
(according to EU No 305/2011 and 574/2014)

DoP Id: P023_01

Hot rolled Plate product S355ML / 1.8634
according to
EN 10025-4:2004
for bolted, welded and riveted structures.

SSAB
P.O Box 70
101 20 Stockholm
SWEDEN
T: +46 8 45 45 700
Email: info@ssab.com
Website: ssab.com

TÜV NORD Systems GmbH & Co. KG
Grosse Bahnstrasse 31
D-22525 Hamburg
Germany
T: +49 40 8557 2388

Assessment system and verification for constancy
of performance
System 2+

The performance of the product identified in this document is
in conformity with the set of declared performance. This declaration of performance
is issued in accordance with Regulations (EU) No 305/2011 and 574/2014,
under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Jarkko Mattala
Vice President, hot rolled plate and strip products,
SSAB Europe Oy, Raahе Steelworks
Raahе 2015-08-08



05

0045-CPR-0573
EN 10025-1:2004

Dop Id: P023-01		Harmonized technical specification
S355ML Tolerances on dimensions and shapes	Thickness	Performance Tolerances on the nominal thickness (acc. EN 10029 Class A unless otherwise stated)
	Nominal thickness (mm)	Lower Upper
	3 ≤ t < 5	-0,3 +0,7
	5 ≤ t < 8	-0,4 +0,8
	8 ≤ t < 15	-0,5 +0,9
Thickness	15 ≤ t < 25	-0,6 +1,0
	25 ≤ t < 40	-0,7 +1,3
	40 ≤ t < 80	-0,9 +1,7
	80 ≤ t < 150	-1,1 +2,1
	150 ≤ t < 250	-1,2 +2,4
Width	Nominal thickness	Tolerances
		Lower Upper
	t < 40	0 +20
	40 ≤ t < 150	0 +25
Length	Nominal length	Tolerances
		Lower Upper
	l < 4000	0 +20
	4000 ≤ l < 6000	0 +30
Flatness	Nominal thickness t	Measuring length
		2000
	3 ≤ t < 5	9 14
	5 ≤ t < 8	8 12
Flatness	8 ≤ t < 15	7 11
	15 ≤ t < 25	7 10
	25 ≤ t < 40	6 9
	40 ≤ t < 250	5 8

Yield strength	thickness mm	min (Mpa)	max (Mpa)
	≤ 16	355	
	> 16 ≤ 40	345	
	> 40 ≤ 63	335	
	> 63 ≤ 80	325	
Tensile strength	thickness mm	min (Mpa)	max (Mpa)
	≤ 40	470	630
	> 40 ≤ 63	450	610
	> 63 ≤ 80	440	600
	> 80 ≤ 100	440	600
Elongation	thickness mm	min %	
	≤ 40	22	
	> 40 ≤ 63	22	
	> 63 ≤ 80	22	
	> 80 ≤ 100	22	
Impact strength	thickness mm	temperature, °C	min. energy, J
	≤ 16	-50	27
	> 16 ≤ 40	-50	27
	> 40 ≤ 63	-50	27
	> 63 ≤ 120	-50	27
Weldability, CEV	thickness mm	CEV max %	
	≤ 16	0.39	
	> 16 ≤ 40	0.39	
	> 40 ≤ 63	0.40	
	> 63 ≤ 120	0.45	
Durability (chemical composition)	element	Value	
	C, max	0.14	
	Si, max	0.50	
	Mn, max	1.60	
	P, max	0.025	
Durability (chemical composition)	S, max	0.020	
	Nb, max	0.05	
	V, max	0.10	
	Al, min	0.02	
	Ti, max	0.05	
Durability (chemical composition)	Cr, max	0.30	
	Ni, max	0.50	
	Mo, max	0.10	
	Cu, max	0.55	
	N, max	0.015	

DISPATCH LIST/PACKING LIST

Number 25299 02 Date 25.04.2018 Loading order number 64913
 Customer's order
 1111742

Consignee
 OY KONTINO AB

 HAKINTIE 6

 01380 VANTAA FINLAND

Buyer
 KONTINO OY AB

 PL 27

 01301 VANTAA FINLAND

Country of origin
 FINLAND

Country of destination
 FINLAND

Terms of delivery
 DAP (INCOTERMS 2010)
 HAKKILA

Mode of delivery
 TRUCK
 Final destination
 HAKKILA

Marks and numbers

Number and description of goods
 23 HOT ROLLED STEEL PLATES

Weight
 20700 KG

PART DELIVERY

Invoicing weight
 THEORETICAL

Item	Quality specification	Charge	Packages	Pcs	Weight kg
	HOT ROLLED STEEL PLATES				
	SSAB LASER 355ML PLUS .				
020	25.00 1500 3000	10549 322		1	900
		14946 021		12	10800
		14946 022		10	9000
		*		23	20700
CONSIGNMENT TOTAL			***	23	20700
CN	ITEMS				
72085120	020				