



**ArcelorMittal**

ArcelorMittal Belgium  
Postfach  
GENT  
J KENNEDYLAAN 51  
9042 GENT  
Telefon 09/3473111  
Telefax 09/3474977

A02

CERTIFICATE

Inspection certificate 3.1 EN 10204

A03

Page: 01 / 04

**20230004786-00**

A09DISPATCH NOTE  
DATE

**00002911131**  
20.01.2023

A08.1 MANUFACTURER'S ORDER NR **2229222**  
DATE 17.11.2022  
AGENCY'S ORDER NR. GH31BYH004004

A07 CUSTOMER'S ORDER NUMBER  
F102479/F102479-4

A10 PART NUMBER  
2101750560

A06.1 CUSTOMER  
BE GROUP OY AB

Laiturikatu 2  
15140 Lahti  
Finland

A06.2 CONSIGNEE

BE Group OY AB, KELAVARASTO


VANHANRADANKATU 42  
15522 LAHTI  
Finland

PRODUCT: hot rolled pickled sheet  
TERMS OF DELIVERY: EN 10051 (2010)

QUALITY: AMSTRONG®355MC  
S355MC

STANDARD: AM FCE  
EN 10149-2 (00-09-2013)

JITZ 1.80



ArcelorMittal Belgium, Postfach, GENT

BE GROUP OY AB

Laiturikatu 2

15140 Lahti

Finland

**ArcelorMittal**  
 ArcelorMittal Belgium  
 Postfach  
 GENT  
 J KENNEDYLAAN 51  
 9042 GENT  
 Telefon 09/3473111  
 Telefax 09/3474977

**A02** Page: 02 / 04  
**CERTIFICATE**  
**20230004786-00**

Inspection certificate 3.1 EN 10204

**A03** Page: 02 / 04  
**CERTIFICATE**  
**20230004786-00**

**A09** DISPATCH NOTE  
 DATE  
 00002911131  
 20.01.2023

**A06.1** CUSTOMER  
**BE GROUP OY AB**  
 Laiturikatu 2  
 15140 Lahti  
 Finland

**A06.2** CONSIGNEE  
**BE Group OY AB, KELAVARASTO**  
**VANHANRADANKATU 42**  
**15522 LAHTI**  
**Finland**

**A08.1** MANUFACTURER'S ORDER NR **2229222**  
 DATE 17.11.2022  
 AGENCY'S ORDER NR. GH31BYH004004

**A07** CUSTOMER'S ORDER NUMBER  
 P102479/P102479-4

**A10** PART NUMBER  
 2101750560

**PRODUCT: hot rolled pickled sheet**    **QUALITY: AMSTRONG®355MC**    **STANDARD: AM FCE**  
**TERMS OF DELIVERY: EN 10051 (2010)**    **S355MC**    **EN 10149-2 (00-09-2013)**

A08.2	B09	B10	B11
ITEM	THICKNESS	WIDTH	LENGTH
	mm	mm	mm
4	8.00	1500.00	3000.00


A08.2	B07.1	B08	B13	CHEMICAL ANALYSIS																		
ITEM	COILNO	PART	WEIGHT	AMOUNT	HEAT	C71	C73	C72	C74	C75	C81	C77	C76	C83	C84	C78	C82	C79	C80	C85	Sn	
			kg			%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
4	991309	00100	2885	10	991309	.0705	.0110	.5500	.0160	.0050	.0070	.0291	.0031	.0001	.0000	.0265	.0170	.0080	.0010	.0000	.0000	
	3236423				991309	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	
	991309	00300	2873	10	991309	.0705	.0110	.5500	.0160	.0050	.0070	.0291	.0031	.0001	.0000	.0265	.0170	.0080	.0010	.0000	.0000	
	3236425				991309	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	
	991309	00400	2877	10	991309	.0705	.0110	.5500	.0160	.0050	.0070	.0291	.0031	.0001	.0000	.0265	.0170	.0080	.0010	.0000	.0000	
	3236426				991309	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	
	991309	00500	2881	10	991309	.0705	.0110	.5500	.0160	.0050	.0070	.0291	.0031	.0001	.0000	.0265	.0170	.0080	.0010	.0000	.0000	
	3236427				991309	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	
	991309	00600	2879	10	991309	.0705	.0110	.5500	.0160	.0050	.0070	.0291	.0031	.0001	.0000	.0265	.0170	.0080	.0010	.0000	.0000	
	3236428				991309	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	
	991309	00700	2863	10	991309	.0705	.0110	.5500	.0160	.0050	.0070	.0291	.0031	.0001	.0000	.0265	.0170	.0080	.0010	.0000	.0000	
	3236429				991309	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	
	991309	00800	2867	10	991309	.0705	.0110	.5500	.0160	.0050	.0070	.0291	.0031	.0001	.0000	.0265	.0170	.0080	.0010	.0000	.0000	
	3236430				991309	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	
	991309	00900	2865	10	991309	.0705	.0110	.5500	.0160	.0050	.0070	.0291	.0031	.0001	.0000	.0265	.0170	.0080	.0010	.0000	.0000	
	3236431				991309	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	
	991309	01000	1457	5	991309	.0705	.0110	.5500	.0160	.0050	.0070	.0291	.0031	.0001	.0000	.0265	.0170	.0080	.0010	.0000	.0000	
	3236432				991309	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	
	9		24447																			
	TOTAL	9	24447																			

C02 test direction relating to rolling direction (0°= L; 90°= T)

C04 specimen condition V:aged F:fresh N:normalised

C50 bend test 1:good

C43 result in J related to specimensize (c44)



A02 CERTIFICATE  
 Page: 03 / 04  
**20230004786-00**  
 Inspection certificate 3.1 EN 10204

A03  
 A09DISPATCH NOTE  
 DATE  
 0000291131  
 20.01.2023

A06.1 CUSTOMER  
**BE GROUP OY AB**  
 Laiturikatu 2  
 15140 Lahti  
 Finland  
 A06.2 CONSIGNEE  
**BE Group OY AB, KELAVARASTO**  
 VANHANRADANKATU 42  
 15522 LAHTI  
 Finland

A05 ORIGINATOR OF THE DOCUMENT  
 ArcelorMittal Bremen GmbH  
 Carl-Benz-Straße 30, 28237 Bremen  
 zeugnisse.bremen@arcelormittal.com  
 Telefon 09/3473111  
 Telefax 09/3474977

A07 CUSTOMER'S ORDER NUMBER  
 P102479/P102479-4

A10 PART NUMBER  
 2101750560

PRODUCT: hot rolled pickled sheet  
 TERMS OF DELIVERY: EN 10051 (2010)

QUALITY: AMSTRONG®355MC  
 STANDARD: AM FCE  
 EN 10149-2 (00-09-2013)

S355MC

A08.2 ITEM	B09 THICKNESS mm	B10 WIDTH mm	B11 LENGTH mm
4	8.00	1500.00	3000.00

A08.2 ITEM	B07.1 COILNO	B07.1 PART	B08 WEIGHT kg	B13 WEIGHT kg	B07.2 HEAT	TENSILE TEST				BENDTEST SHOCK TEST									
						C02 PR °	C04 MAZ °	C03 Temp °C	C11 Yield p. strength Re MPa	C12 Rm MPa	C13 A70mm %	C50 Fa	S0 cm²	PR °	Temp °C	C03 KV2VP	C02 KV2VP	C04 KV2VP	C43 KV2VP
4	991309	00100	2885	2885	991309	0	F	20	378	484	33	1	.8	0	-20	207	208	217	210
	3236423				991309														
	991309	00300	2873	2873	991309	0	F	20	378	484	33	1	.8	0	-20	207	208	217	210
	3236425				991309														
	991309	00400	2877	2877	991309	0	F	20	378	484	33	1	.8	0	-20	207	208	217	210
	3236426				991309														
	991309	00500	2881	2881	991309	0	F	20	378	484	33	1	.8	0	-20	207	208	217	210
	3236427				991309														
	991309	00600	2879	2879	991309	0	F	20	378	484	33	1	.8	0	-20	207	208	217	210
	3236428				991309														
	991309	00700	2863	2863	991309	0	F	20	378	484	33	1	.8	0	-20	207	208	217	210
	3236429				991309														
	991309	00800	2867	2867	991309	0	F	20	378	484	33	1	.8	0	-20	207	208	217	210
	3236430				991309														
	991309	00900	2865	2865	991309	0	F	20	378	484	33	1	.8	0	-20	207	208	217	210
	3236431				991309														
	991309	01000	1457	1457	991309	0	F	20	378	484	33	1	.8	0	-20	207	208	217	210
	3236432				991309														

9	24447
<b>TOTAL</b>	<b>9</b>
	<b>24447</b>

We certify hereby that the delivery complies with the above mentioned specification.

C02 test direction relating to rolling direction (0°= L; 90°= T)	C04 specimen condition V:aged F:fresh N:normalised	C50 bend test 1:good	C43 result in J related to specimensize (c44)
--	--	----------------------	---

JITZ 1.80



ArcelorMittal Belgium  
Postfach  
GENT  
J KENNEDYLAAN 51  
9042 GENT  
Telefon 09/3473111  
Telefax 09/3474977

A02 CERTIFICATE  
Page: 04 / 04  
**20230004786-00**  
Inspection certificate 3.1 EN 10204

A03  
A09 DISPATCH NOTE  
DATE  
00002911131  
20.01.2023

A05 ORIGINATOR OF THE DOCUMENT  
ArcelorMittal Bremen GmbH  
Carl-Benz-Straße 30, 28237 Bremen  
zeugnisse.bremen@arcelormittal.com  
Telefon 0421/6482813

A06.1 CUSTOMER  
BE GROUP OY AB  
Laiturikatu 2  
15140 Lahti  
Finland

A06.2 CONSIGNEE  
BE Group OY AB, KELAVARASTO  
VANHANRADANKATU 42  
15522 LAHTI  
Finland

A07 CUSTOMER'S ORDER NUMBER  
P102479/P102479-4

A08.1 MANUFACTURER'S ORDER NR  
2229222  
DATE  
17.11.2022  
AGENCY'S ORDER NR.  
GH31BYH004004

A10 PART NUMBER  
2101750560

PRODUCT: hot rolled pickled sheet  
TERMS OF DELIVERY: EN 10051 (2010)

QUALITY: AMSTRONG®355MC  
STANDARD: AM FCE  
EN 10149-2 (00-09-2013)  
S355MC

A08.2 ITEM	B09 THICKNES	B10 WIDTH	B11 LENGTH
	mm	mm	mm
4	8.00	1500.00	3000.00



QUALITY DEPARTMENT  
SITE EXPERT FOR INSPECTION  
Witt

BREMEN 23.01.2023

JITZ 1.80

C02 test direction relating to rolling direction (0°= L; 90°= T)	C04 specimen condition V:aged F:fresh N:normalised	C50 bend test 1:good	C43 result in J related to specimensize (c44)
---	---	-------------------------	--