


A10 Sales Agent:
 ArcelorMittal Commercial
 Italy Srl
 43, Str. Torino
 I-10043 ORBASSANO TO

A04

ArcelorMittal Belval & Differdange
 Service Gestion Qualité
 66, rue de Luxembourg
 L-4009 Esch/Alzette


ArcelorMittal

A07 Plant:
 ArcelorMittal Belval & Differdange
 Site de Rodange
 L-4823 Rodange

Mill Test Certificate NrX 4741059
 Delivery note number 4741059 from 23 November 2022

A05

A08 Our reference : 1100658056

A07 Your reference : NR.1701
 13.10.2022
 COMM.LE SIDERURGICA BRESCIANA S.P.A

COMM.LE SIDERURGICA BRESCIANA S.P.
 VIA MARTIRI DELLA LIBERTA 25
 I-25030 TORBOLE CASAGLIA BS

A03

S275JR+ M ACCORDING TO EN 10025-2/2019 SUITABLE FOR GALVANIZING

B02
 Inspection certificate according to EN 10204:2004 / 3.1

A02

B01	Ord.item	Product	Length	B13	Weight	B07	Heat nr	Weight	Bund.	B08
										Bars
	000001	Square 150 MM	6.100 mm		5,405 to		174	5,405 to		5


Heat nr	Heat analysis (%)																
B07	C	Mn	P	S	Si	N	Al	Cu	Ni	Cr	V	Nb	Mo	Ti	B	CEV	
	Min																
					0,14												
	Max																
174	0,22	1,50	0,035	0,040	0,25	0,012		0,55								0,43	
	0,16	0,86	0,012	0,014	0,23	0,009	0,027	0,02	0,04	0,08	0,000	0,000	0,014	0,000	0,0000	0,33	

Heat nr	Tensile test		
B07	N/mm2	N/mm2	5,65VS
	ReH	Rm	A (%)
	C11	C12	C13
	Min		
	225	400	19,00
	Max		
174	302	468	30,00


Z05


Hot rolled products of structural steels according to EN10025-1:2004
 Intended uses : Building constructions or civil engineering
 Durability : No performance determined
 Regulated substance : No performance determined
 Weldability : according to EN 1011-2
 EAF-Steel
 Dimension and Shape tolerances :
 I- Profiles : EN 10365 and EN10034
 H-Profiles: EN 10365 and EN10034
 Angles I : EN10056 Part 1 and 2
 U-Profiles : EN 10365 and EN 10279
 Square : EN 10059
 UB-und UC-Profiles und UBP-support piles : EN 10365 and EN10034
 Environmental product declaration and Xcarb declaration:

Arnault Stéphane
 Porteur de signature spéciale



Z03



<p>A10 Sales Agent: ArcelorMittal Commercial Italy Srl 43, Str. Torino I-10043 ORBASSANO TO</p>	<p style="text-align: right;">A04</p> <p>ArcelorMittal Belval & Differdange Service Gestion Qualité 66, rue de Luxembourg L-4009 Esch/Alzette</p> <p style="text-align: right;"> ArcelorMittal</p>
--	---

A01 Plant:
 ArcelorMittal Belval & Differdange
 Site de Rodange
 L-4823 Rodange

A05

Mill Test Certificate Nr X 4741059
 Delivery note number 4741059 from 23 November 2022

A03

A06 Our reference : 1100658056

A07 Your reference : NR.1701
 13.10.2022
 COMM.LE SIDERURGICA BRESCIANA S.P.A

COMM.LE SIDERURGICA BRESCIANA S.P.
VIA MARTIRI DELLA LIBERTA 25
I-25030 TORBOLE CASAGLIA BS

S275JR+ M ACCORDING TO EN 10025-2/2019 SUITABLE FOR GALVANIZING


B02
Inspection certificate according to EN 10204:2004 / 3.1

A02


A06

https://sections.arcelormittal.com/documentation/Product_declaration/EN
 Declaration of Performance
<https://sections.arcelormittal.com/3444/3134/EN>


Arnault Stéphane
 Porteur de signature spéciale



Z03



A10 Sales Agent:
 ArcelorMittal Commercial
 Italy Srl
 43, Str. Torino
 I-10043 ORBASSANO TO

A04
ArcelorMittal Belval & Differdange
 Service Gestion Qualité
 66, rue de Luxembourg
 L-4009 Esch/Alzette


A01 Plant:
 ArcelorMittal Belval & Differdange
 Site de Rodange
 L-4823 Rodange

Mill Test Certificate NrX 4741059
 Delivery note number 4741059 from 23 November 2022
A05
A03

A08 Our reference : 1100658056
A07 Your reference : NR.1701
 13.10.2022
 COMM.LE SIDERURGICA BRESCIANA S.P.A

COMM.LE SIDERURGICA BRESCIANA S.P.
VIA MARTIRI DELLA LIBERTA 25
I-25030 TORBOLE CASAGLIA BS

S355J2+ M ACCORDING TO EN10025-2/2019 SUITABLE FOR GALVANISING

B02
Inspection certificate according to EN 10204:2004 / 3.1


A02


B01 Ord.item	B01 Product	B13 Length	B13 Weight	B07 Heat nr	B07 Weight	B08 Bund.	B08 Bars
000002	Square 150 MM	6.100 mm	17,295 to	173	17,295 to		16


B07 Heat nr	Heat analysis (%)																
	C	Mn	P	S	Si	N	Al	Cu	Ni	Cr	V	Nb	Mo	Ti	B	CEV	
	0,14																
	Max	0,22	1,60	0,030	0,030	0,25		0,55					0,110			0,43	
173		0,14	1,45	0,009	0,007	0,20	0,005	0,033	0,05	0,02	0,03	0,004	0,031	0,001	0,002	0,0004	0,39

B07 Heat nr	Tensile test				Charpy impact test								
	N/mm2	N/mm2	5,65VS	C40 KV	UNAGED			J					
	ReH	Rm	A(%)	Position	mm	°C	1	2	3	M			
	C11	C12	C13	C01	C02	C41	C03	C42	C43				
	Min	295	450	18,00	FL.1/3	L	-20	19	27				
	Max		600										
173		361	495	29,00	FL.1/3	L	-20	137	135	134	135		


Z05
 Hot rolled products of structural steels according to EN10025-1:2004
 Intended uses : Building constructions or civil engineering
 Durability : No performance determined
 Regulated substance : No performance determined
 Weldability : according to EN 1011-2
 EAF-Steel
 Dimension and Shape tolerances :
 I- Profiles : EN 10365 and EN10034
 H-Profiles: EN 10365 and EN10034
 Angles I : EN10056 Part 1 and 2
 U-Profiles : EN 10365 and EN 10279
 Square : EN 10059
 UB-und UC-Profiles und UBP-support piles : EN 10365 and EN10034
 Environmental product declaration and Xcarb declaration:

Z03
 Arnault Stéphane
 Porteur de signature spéciale




A10 Sales Agent: ArcelorMittal Commercial Italy Srl 43, Str. Torino I-10043 ORBASSANO TO	<div style="text-align: right;">A04</div> <div style="text-align: center;">  ArcelorMittal Belval & Differdange Service Gestion Qualité 66, rue de Luxembourg L-4009 Esch/Alzette </div>
A01 Plant: ArcelorMittal Belval & Differdange Site de Rodange L-4823 Rodange	<div style="text-align: right;">A05</div> <div style="text-align: center;"> Mill Test Certificate Nr X 4741059 Delivery note number 4741059 from 23 November 2022 </div>
A08 Our reference : 1100658056	<div style="text-align: center;"> COMM.LE SIDERURGICA BRESCIANA S.P. VIA MARTIRI DELLA LIBERTA 25 I-25030 TORBOLE CASAGLIA BS </div>
A07 Your reference : NR.1701 13.10.2022 COMM.LE SIDERURGICA BRESCIANA S.P.A	
S355J2+ M ACCORDING TO EN10025-2/2019 SUITABLE FOR GALVANISING	
B02 Inspection certificate according to EN 10204:2004 / 3.1	
A02	<div style="text-align: right;">A06</div>

https://sections.arcelormittal.com/documentation/Product_declaration/EN
 Declaration of Performance
<https://sections.arcelormittal.com/3444/3134/EN>

Arnault Stéphane
 Porteur de signature spéciale


Z03

