

Business Unit / QCM

Date Datum Date

Load, Ladung, Charge No

Acknowledged ID, Bestätigung, Commande ID


Avesta Works / Jerker Sterneland

18-Nov-2019

FI/196824

6610/300543918

Your ref, Ihre Ref., Votre ref 13409		Requirements, Anforderungen, Exigences ASTM A 240M-18 ASME BPVC SEC II PART A SA-240/SA-240M Ed 2019 EN 10088-2:2014 EN 10028-7:2016 NACE MR0175 / ISO 15156-3:2015 EN 10088-4:2009 ASTM A 480	
Buyer, Besteller, Acheteur HTM Yhtiöt Oy Tiilitehtaantie 23 FI 12310, RYTTYLÄ FINLAND			
Consignee, Empfänger, Lieu de livraison HTM Yhtiöt Oy			

Mark of Manufacturer Zeichen des Lieferwerkes Signe de producteur outokumpu	Process Erschmelzungsart Mode de fusion E+AOD	Inspector's stamp Zeichen des Sachverständigen Poicon de l'expert 	Grade, Werkstoff, Nuance Outokumpu Core 304L/4307 TYPE 304 TYPE 304L 1.4301 1.4307
---	---	--	--

Product, Erzeugnisform, Produit
Stainless Steel Hot Rolled, Coil-Plate
finish 1D, cut edge

Line Reihe Ligne	Item Position Poste	Heat-Lot No Schmelze-Lot Nr Coulée n° - Lot No	Size Abmessungen Dimensions	Pieces Stückzahl Nombre	Quantity / Unit Menge / Einheit Quantité / Unité
1	2	13570-002	12,00 X 1500 X 3000 mm	8	3414 KG

Chemical composition – Chemische Zusammensetzung – Composition chimiques

	C	Si	Mn	P	S	Cr	Ni	Mo	Ti	Nb	Cu	Co	N
Heat	.023	.43	1.56	.034	.001	18.27	8.12	.41	.008	.011	.50	.19	.058

Radioactive contamination check acc. IAEA recommendations: **Approved**

Test results – Prüfergebnisse – Results desais (1N/mm² = 1 MPa) F = Front – Anfan – Debut B = Back – Ende – Fin T = Transverse – Quer – Travers

Test Ref	Temp °C	RP 0.2 N/MM2	RP 1.0 N/MM2	RM N/MM2	A5 %	2" %	HB
Min	+20	230	260	520	45	40	HB
Max				700			201
F T	+20	318	359	622	58	60	196
B T		319	357	616	57	59	183

Material conforms to NACE MR0175 / ISO 15156-3 in supplied condition
Corrosion acc. ASTM A 262-E, EN ISO 3651-2A: Approved
Heat treatment / Solution annealed: Material temp minimum 1040 °C / Quenched (forced air + water)
Steel grade verification (PMI-spectroscopic): Approved
Marking, visual insp. and gauge measurement: Approved
Certified acc. to PED 2014/68/EU by TÜV NORD, notified body, Reg-No. 0045