



Certificate No.  
178012

Revision  
00

Customer Order No.  
17117

Production mill  
Avesta Plant

Date  
08 Feb 2023

Delivery No.  
8000179595

<b>Sold to</b> Htm Yhtiöt Oy Tiilitehtaantie 23 12310 RYTTYLÄ FINLAND		<b>Product</b> Stainless Steel Hot Rolled Plate, Slit edge, Core 304L/4307  <b>Finish</b> 1D		<b>Grade</b> 1.4301 1.4307 TYPE 304 / UNS S30400 TYPE 304L / UNS S30403	
<b>Ship to</b> Htm Yhtiöt Oy Teollisuuskuj 1 14200 TURENKI FINLAND		<b>Requirements</b> AD 2000 W 2, Ausg. 01.2020, W 10, Ausg. 01.2020 & EN 10028-7:2016 ASME SA-240/SA-240M BPVC.II.A-2021 ASTM A240/A240M - 22 EN 10028-7:2016 EN 10088-2:2014 EN 10088-4:2009 NACE MR0175/EN ISO 15156-1:2020 & NACE MR0175/EN ISO 15156-3:2020			
<b>Mark of manufacturer</b> outokumpu		<b>Process</b> E+AOD		<b>Inspector's Stamp</b> 	
<b>Sales order Item</b> 40		<b>Dimensions</b> 10,00 X 1500,0 X 3000 mm		<b>Quantity (pcs)</b> 20	
<b>Weight</b> 7074 kg		<b>Heat No.</b> 530237		<b>Lot No.</b> 1	
<b>Identification No. of Product</b> 530237-1		<b>Customer's Material No.</b> 17117		<b>ASME SA-480/SA-480M BPVC.II.A-2021</b> ASTM A480/A480M - 22 EN ISO 9444-2:2010	

Chemical Composition

Heat No.	Country of Melt	C %	Si %	Mn %	P %	S %	Cr %	Ni %	N %
530237	Sweden	0,019	0,38	1,30	0,035	0,001	18,3	8,1	0,067

Test Results (1=Beginning, 2=Middle, 3=End, T=Transverse, L=Longitudinal, D=Diagonal, RT=Room temperature)

Identification No. of Product	Sample ID	EN ISO 6892-1 / ASTM A370 (RT)					ASTM E10 / EN ISO 6506-1
		RP0.2 MPa	RP1.0 MPa	RM MPa	A5 %	A50 %	HARDNESS HBW
530237-1	Minimum	210	250	520	45	40	201
	Maximum			700			
530237-1	1 T 815827	330	368	616	57	59	196
530237-1	3 T 815828	338	377	620	56	58	201
		EN ISO 3651-2 A	PMI				
Identification No. of Product	Sample ID	INTERGRANULAR CORROSION					
		Minimum	Maximum				
530237-1	1 T 815827	OK	OK				
530237-1	3 T 815828	OK	OK				

Country of Origin: Sweden

Certified acc. to PED 2014/68/EU by TÜV NORD, notified body, Reg-No. 0045

Certified acc. to AD 2000-Merkblatt W0 by TÜV NORD

Solution annealed at 1070 °C/1958 °F. Rapidly cooled with water and air.

Avg.t CO2e/t: 1,21

Model verified. Scope 1, 2, 3 - Calculation details available on Outokumpu's website

Outokumpu Stainless AB Business Area Operations Avesta SWEDEN Tel: +46 (0)226 811 73 Regoffice: Stockholm SWEDEN, Regno: 556001-8748 V.A.T no: SE556001874801	This material is found to comply with order requirements  Joakim Johansson Authorized Inspector certificates.avesta@outokumpu.com	 10 0045 - CPR - 0869 DoP (Declaration of Performance) on: www.outokumpu.com/locations/avesta
--	---	---



Certificate No.  
178012

Revision  
00

Customer Order No.  
17117

Production mill  
Avesta Plant


Date  
08 Feb 2023


Delivery No.  
8000179595

DOPS acc. to CPR available on the web page by steel number

Marking, visual and dimensional inspection: Approved

Outokumpu Stainless AB  
Business Area  
Operations Avesta  
SWEDEN  
Tel: +46 (0)226 811 73  
Regoffice: Stockholm SWEDEN,  
Regno: 556001-8748  
V.A.T no: SE556001874801

This material is found to comply with order requirements  
  
Joakim Johansson  
Authorized Inspector  
certificates.avesta@outokumpu.com





Certificate No.  
178012

Revision  
00

Customer Order No.  
17117

Production mill  
Avesta Plant


Date  
08 Feb 2023

Delivery No.  
8000179595

Packing Information

<u>Delivery Item</u>	<u>Identification No. of Product</u>	<u>Batch No.</u>	<u>Quantity(pcs)</u>	<u>Weight</u>	<u>Length</u>
10	530237-1	D037908830	5	1771 kg	
10	530237-1	D037908930	5	1771 kg	
10	530237-1	D037909030	5	1767 kg	
10	530237-1	D037909130	5	1765 kg	

Outokumpu Stainless AB  
Business Area  
Operations Avesta  
SWEDEN  
Tel: +46 (0)226 811 73  
Regoffice: Stockholm SWEDEN,  
Regno: 556001-8748  
V.A.T no: SE556001874801

This material is found to comply with order requirements  
  
Joakim Johansson  
Authorized Inspector  
certificates.avesta@outokumpu.com

