



<p>A01</p>  <p>ArcelorMittal ArcelorMittal Belgium SA Quai du Halage, 10 4400 Flémalle (Belgique) Tel.: +32 4.236.29.92 Fax: +32 4.236.29.89</p>	<p>A02</p> <p>CERTIFICATE ----- TEST REPORT ACCORDING EN10204-2.2 OR EQUIVALENT.</p>	<p>A03</p> <p>220429263 P. 01/03</p>	<p>A09 DISPATCH NOTE 3961865 A06.1 CUSTOMER BE GROUP OY AB LAITURIKATU 2 FIN-15140 LAHTI FINLAND 0047894</p>																																																																																																																																																																																																																																																																																																																																																																																																																																																
<p>A07 YOUR ORDER NO P093509 A08 ORDER NUMBER 391156 DATE A09 YOUR ORDER NO P093509 DATE 09-09-2021 CONTRACT NO GE21BEY002 YOUR REFERENCES OUR REFERENCES OBC-AU/DH/AH</p>	<p>A08 ORDER NUMBER 391156 DATE</p>	<p>A08 ORDER NUMBER 391156 DATE</p>	<p>A06.2 DESTINATION BE GROUP OY AB, KELAVARASTO VANHANRADANKATU 42 FIN-15522 LAHTI FINLAND 002482</p>																																																																																																																																																																																																																																																																																																																																																																																																																																																
<p>BO1-BO4 MATERIAL: JETSKIN COIL QUALITY DCO1+ZV, ORDER ITEM 43 04 59 54 - 2.5 MICRON / 2,5 MICRON PHOSPHATING E PASSIVATION (ROHS COMPLIANCE) STANDARD = EN 10152:2017 STAND: EN 10131 (2006) NORM.TOL.</p>																																																																																																																																																																																																																																																																																																																																																																																																																																																			
<p>BO9 ITEM B10 WIDTH B11 THICKNESS REF. CUSTOMER</p> <table border="1"> <thead> <tr> <th></th> <th>MM</th> <th>MM</th> </tr> </thead> <tbody> <tr><td>43</td><td>1.250</td><td>2,50</td></tr> <tr><td>04</td><td>1.250</td><td>0,70</td></tr> <tr><td>59</td><td>1.000</td><td>0,60</td></tr> <tr><td>54</td><td>1.000</td><td>0,50</td></tr> <tr><td>21</td><td>1.250</td><td>1,50</td></tr> </tbody> </table>		MM	MM	43	1.250	2,50	04	1.250	0,70	59	1.000	0,60	54	1.000	0,50	21	1.250	1,50	<p>BO7 COIL NO</p>	<p>BO8 CAST N.</p>	<p>BO9 ITEM B10 WIDTH B11 THICKNESS REF. CUSTOMER</p> <table border="1"> <thead> <tr> <th></th> <th>MM</th> <th>MM</th> </tr> </thead> <tbody> <tr><td>43</td><td>1.250</td><td>2,50</td></tr> <tr><td>04</td><td>1.250</td><td>0,70</td></tr> <tr><td>59</td><td>1.000</td><td>0,60</td></tr> <tr><td>54</td><td>1.000</td><td>0,50</td></tr> <tr><td>21</td><td>1.250</td><td>1,50</td></tr> </tbody> </table>		MM	MM	43	1.250	2,50	04	1.250	0,70	59	1.000	0,60	54	1.000	0,50	21	1.250	1,50																																																																																																																																																																																																																																																																																																																																																																																																												
	MM	MM																																																																																																																																																																																																																																																																																																																																																																																																																																																	
43	1.250	2,50																																																																																																																																																																																																																																																																																																																																																																																																																																																	
04	1.250	0,70																																																																																																																																																																																																																																																																																																																																																																																																																																																	
59	1.000	0,60																																																																																																																																																																																																																																																																																																																																																																																																																																																	
54	1.000	0,50																																																																																																																																																																																																																																																																																																																																																																																																																																																	
21	1.250	1,50																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	MM	MM																																																																																																																																																																																																																																																																																																																																																																																																																																																	
43	1.250	2,50																																																																																																																																																																																																																																																																																																																																																																																																																																																	
04	1.250	0,70																																																																																																																																																																																																																																																																																																																																																																																																																																																	
59	1.000	0,60																																																																																																																																																																																																																																																																																																																																																																																																																																																	
54	1.000	0,50																																																																																																																																																																																																																																																																																																																																																																																																																																																	
21	1.250	1,50																																																																																																																																																																																																																																																																																																																																																																																																																																																	
<p>CHEMICAL ANALYSIS C70 STEELMAKING PROCESS: LD</p> <table border="1"> <thead> <tr> <th></th> <th>C71</th> <th>C72</th> <th>C73</th> <th>C74</th> <th>C75</th> <th>C76</th> <th>C77</th> <th>C78</th> <th>C79</th> <th>C80</th> <th>C81</th> <th>C82</th> <th>C83</th> <th>C84</th> <th>C85</th> </tr> <tr> <th></th> <th>C</th> <th>Mn</th> <th>Si</th> <th>P</th> <th>S</th> <th>N</th> <th>Al</th> <th>Ti</th> <th>Cr</th> <th>Ni</th> <th>Cu</th> <th>Nb</th> <th>B</th> <th>V</th> <th>Mo</th> </tr> <tr> <th></th> <th>10⁻³%</th> <th>10⁻²%</th> <th>10⁻³%</th> <th>10⁻³%</th> <th>10⁻³%</th> <th>10⁻⁴%</th> <th>10⁻³%</th> <th>10⁻³%</th> <th>10⁻³%</th> <th>10⁻³%</th> <th>10⁻³%</th> <th>10⁻³%</th> <th>10⁻⁴%</th> <th>10⁻³%</th> <th>10⁻³%</th> </tr> </thead> <tbody> <tr><td>43</td><td>48</td><td>22</td><td>6</td><td>8</td><td>7</td><td>31</td><td>52</td><td>0</td><td>19</td><td>12</td><td>7</td><td>1</td><td>5</td><td>0</td><td>0</td></tr> <tr><td>867059531</td><td>48</td><td>22</td><td>6</td><td>8</td><td>7</td><td>31</td><td>52</td><td>0</td><td>19</td><td>12</td><td>7</td><td>1</td><td>5</td><td>0</td><td>0</td></tr> <tr><td>867059552</td><td>48</td><td>22</td><td>6</td><td>8</td><td>7</td><td>31</td><td>52</td><td>0</td><td>19</td><td>12</td><td>7</td><td>1</td><td>5</td><td>0</td><td>0</td></tr> <tr><td>2</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>04</td><td>36</td><td>19</td><td>8</td><td>18</td><td>12</td><td>20</td><td>32</td><td>1</td><td>18</td><td>11</td><td>12</td><td>2</td><td>2</td><td>0</td><td>2</td></tr> <tr><td>867049764</td><td>36</td><td>19</td><td>8</td><td>18</td><td>12</td><td>20</td><td>32</td><td>1</td><td>18</td><td>11</td><td>12</td><td>2</td><td>2</td><td>0</td><td>2</td></tr> <tr><td>867049783</td><td>36</td><td>19</td><td>8</td><td>18</td><td>12</td><td>20</td><td>32</td><td>1</td><td>18</td><td>11</td><td>12</td><td>2</td><td>2</td><td>0</td><td>2</td></tr> <tr><td>867049799</td><td>41</td><td>19</td><td>8</td><td>15</td><td>11</td><td>25</td><td>34</td><td>1</td><td>29</td><td>16</td><td>27</td><td>2</td><td>4</td><td>0</td><td>2</td></tr> <tr><td>867049821</td><td>41</td><td>19</td><td>8</td><td>15</td><td>11</td><td>25</td><td>34</td><td>1</td><td>29</td><td>16</td><td>27</td><td>2</td><td>4</td><td>0</td><td>2</td></tr> <tr><td>4</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>59</td><td>29</td><td>17</td><td>3</td><td>7</td><td>10</td><td>33</td><td>39</td><td>0</td><td>20</td><td>12</td><td>6</td><td>1</td><td>2</td><td>0</td><td>1</td></tr> <tr><td>867048544</td><td>29</td><td>17</td><td>3</td><td>7</td><td>10</td><td>33</td><td>39</td><td>0</td><td>20</td><td>12</td><td>6</td><td>1</td><td>2</td><td>0</td><td>1</td></tr> <tr><td>867048567</td><td>29</td><td>17</td><td>3</td><td>7</td><td>10</td><td>33</td><td>39</td><td>0</td><td>20</td><td>12</td><td>6</td><td>1</td><td>2</td><td>0</td><td>1</td></tr> <tr><td>2</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>54</td><td>36</td><td>17</td><td>2</td><td>8</td><td>7</td><td>10</td><td>33</td><td>0</td><td>24</td><td>13</td><td>8</td><td>1</td><td>2</td><td>0</td><td>0</td></tr> <tr><td>867048589</td><td>36</td><td>17</td><td>2</td><td>8</td><td>7</td><td>10</td><td>33</td><td>0</td><td>24</td><td>13</td><td>8</td><td>1</td><td>2</td><td>0</td><td>0</td></tr> <tr><td>867048623</td><td>36</td><td>17</td><td>2</td><td>8</td><td>7</td><td>10</td><td>33</td><td>0</td><td>24</td><td>13</td><td>8</td><td>1</td><td>2</td><td>0</td><td>0</td></tr> <tr><td>2</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>21</td><td>39</td><td>20</td><td>9</td><td>14</td><td>11</td><td>21</td><td>34</td><td>1</td><td>29</td><td>26</td><td>38</td><td>3</td><td>3</td><td>0</td><td>4</td></tr> <tr><td>867058647</td><td>39</td><td>20</td><td>9</td><td>14</td><td>11</td><td>21</td><td>34</td><td>1</td><td>29</td><td>26</td><td>38</td><td>3</td><td>3</td><td>0</td><td>4</td></tr> <tr><td>867058668</td><td>39</td><td>20</td><td>9</td><td>14</td><td>11</td><td>21</td><td>34</td><td>1</td><td>29</td><td>26</td><td>38</td><td>3</td><td>3</td><td>0</td><td>4</td></tr> <tr><td>867058687</td><td>33</td><td>19</td><td>9</td><td>9</td><td>11</td><td>26</td><td>26</td><td>1</td><td>31</td><td>37</td><td>42</td><td>3</td><td>4</td><td>0</td><td>3</td></tr> <tr><td>867058709</td><td>33</td><td>19</td><td>9</td><td>9</td><td>11</td><td>26</td><td>26</td><td>1</td><td>31</td><td>37</td><td>42</td><td>3</td><td>4</td><td>0</td><td>3</td></tr> <tr><td>4</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> </tbody> </table>					C71	C72	C73	C74	C75	C76	C77	C78	C79	C80	C81	C82	C83	C84	C85		C	Mn	Si	P	S	N	Al	Ti	Cr	Ni	Cu	Nb	B	V	Mo		10 ⁻³ %	10 ⁻² %	10 ⁻³ %	10 ⁻³ %	10 ⁻³ %	10 ⁻⁴ %	10 ⁻³ %	10 ⁻³ %	10 ⁻³ %	10 ⁻³ %	10 ⁻³ %	10 ⁻³ %	10 ⁻⁴ %	10 ⁻³ %	10 ⁻³ %	43	48	22	6	8	7	31	52	0	19	12	7	1	5	0	0	867059531	48	22	6	8	7	31	52	0	19	12	7	1	5	0	0	867059552	48	22	6	8	7	31	52	0	19	12	7	1	5	0	0	2																04	36	19	8	18	12	20	32	1	18	11	12	2	2	0	2	867049764	36	19	8	18	12	20	32	1	18	11	12	2	2	0	2	867049783	36	19	8	18	12	20	32	1	18	11	12	2	2	0	2	867049799	41	19	8	15	11	25	34	1	29	16	27	2	4	0	2	867049821	41	19	8	15	11	25	34	1	29	16	27	2	4	0	2	4																59	29	17	3	7	10	33	39	0	20	12	6	1	2	0	1	867048544	29	17	3	7	10	33	39	0	20	12	6	1	2	0	1	867048567	29	17	3	7	10	33	39	0	20	12	6	1	2	0	1	2																54	36	17	2	8	7	10	33	0	24	13	8	1	2	0	0	867048589	36	17	2	8	7	10	33	0	24	13	8	1	2	0	0	867048623	36	17	2	8	7	10	33	0	24	13	8	1	2	0	0	2																21	39	20	9	14	11	21	34	1	29	26	38	3	3	0	4	867058647	39	20	9	14	11	21	34	1	29	26	38	3	3	0	4	867058668	39	20	9	14	11	21	34	1	29	26	38	3	3	0	4	867058687	33	19	9	9	11	26	26	1	31	37	42	3	4	0	3	867058709	33	19	9	9	11	26	26	1	31	37	42	3	4	0	3	4															
	C71	C72	C73	C74	C75	C76	C77	C78	C79	C80	C81	C82	C83	C84	C85																																																																																																																																																																																																																																																																																																																																																																																																																																				
	C	Mn	Si	P	S	N	Al	Ti	Cr	Ni	Cu	Nb	B	V	Mo																																																																																																																																																																																																																																																																																																																																																																																																																																				
	10 ⁻³ %	10 ⁻² %	10 ⁻³ %	10 ⁻³ %	10 ⁻³ %	10 ⁻⁴ %	10 ⁻³ %	10 ⁻³ %	10 ⁻³ %	10 ⁻³ %	10 ⁻³ %	10 ⁻³ %	10 ⁻⁴ %	10 ⁻³ %	10 ⁻³ %																																																																																																																																																																																																																																																																																																																																																																																																																																				
43	48	22	6	8	7	31	52	0	19	12	7	1	5	0	0																																																																																																																																																																																																																																																																																																																																																																																																																																				
867059531	48	22	6	8	7	31	52	0	19	12	7	1	5	0	0																																																																																																																																																																																																																																																																																																																																																																																																																																				
867059552	48	22	6	8	7	31	52	0	19	12	7	1	5	0	0																																																																																																																																																																																																																																																																																																																																																																																																																																				
2																																																																																																																																																																																																																																																																																																																																																																																																																																																			
04	36	19	8	18	12	20	32	1	18	11	12	2	2	0	2																																																																																																																																																																																																																																																																																																																																																																																																																																				
867049764	36	19	8	18	12	20	32	1	18	11	12	2	2	0	2																																																																																																																																																																																																																																																																																																																																																																																																																																				
867049783	36	19	8	18	12	20	32	1	18	11	12	2	2	0	2																																																																																																																																																																																																																																																																																																																																																																																																																																				
867049799	41	19	8	15	11	25	34	1	29	16	27	2	4	0	2																																																																																																																																																																																																																																																																																																																																																																																																																																				
867049821	41	19	8	15	11	25	34	1	29	16	27	2	4	0	2																																																																																																																																																																																																																																																																																																																																																																																																																																				
4																																																																																																																																																																																																																																																																																																																																																																																																																																																			
59	29	17	3	7	10	33	39	0	20	12	6	1	2	0	1																																																																																																																																																																																																																																																																																																																																																																																																																																				
867048544	29	17	3	7	10	33	39	0	20	12	6	1	2	0	1																																																																																																																																																																																																																																																																																																																																																																																																																																				
867048567	29	17	3	7	10	33	39	0	20	12	6	1	2	0	1																																																																																																																																																																																																																																																																																																																																																																																																																																				
2																																																																																																																																																																																																																																																																																																																																																																																																																																																			
54	36	17	2	8	7	10	33	0	24	13	8	1	2	0	0																																																																																																																																																																																																																																																																																																																																																																																																																																				
867048589	36	17	2	8	7	10	33	0	24	13	8	1	2	0	0																																																																																																																																																																																																																																																																																																																																																																																																																																				
867048623	36	17	2	8	7	10	33	0	24	13	8	1	2	0	0																																																																																																																																																																																																																																																																																																																																																																																																																																				
2																																																																																																																																																																																																																																																																																																																																																																																																																																																			
21	39	20	9	14	11	21	34	1	29	26	38	3	3	0	4																																																																																																																																																																																																																																																																																																																																																																																																																																				
867058647	39	20	9	14	11	21	34	1	29	26	38	3	3	0	4																																																																																																																																																																																																																																																																																																																																																																																																																																				
867058668	39	20	9	14	11	21	34	1	29	26	38	3	3	0	4																																																																																																																																																																																																																																																																																																																																																																																																																																				
867058687	33	19	9	9	11	26	26	1	31	37	42	3	4	0	3																																																																																																																																																																																																																																																																																																																																																																																																																																				
867058709	33	19	9	9	11	26	26	1	31	37	42	3	4	0	3																																																																																																																																																																																																																																																																																																																																																																																																																																				
4																																																																																																																																																																																																																																																																																																																																																																																																																																																			
<p>CO4 CONDITION OF THE SPECIMEN V: AGED F: NON-AGED N: NORMALISED CO2 DIRECTION SPECIMEN L: OGR S: 45GR D: 90GR</p>																																																																																																																																																																																																																																																																																																																																																																																																																																																			
<p>Siège: Bid de l'Impératrice 66, B-1000 Bruxelles (Belgique) TVA BE 0400.106.291 RPR Bruxelles AM Liège (Belgium) - Shipment points of Tilleur, Jemeppe, Flémalle, Ramet or Marchin - all located in Belgium 866110</p>																																																																																																																																																																																																																																																																																																																																																																																																																																																			


 ArcelorMittal ArcelorMittal Belgium SA ArcelorMittal Liège Quai du Halage, 10 4400 Flémalle (Belgique) Tel.: +32 4.236.29.92 Fax: +32 4.236.29.89		A01 CERTIFICATE ----- TEST REPORT ACCORDING EN10204-2.2 OR EQUIVALENT.		A02 A03 220429263 P. 02/03		A09 DISPATCH NOTE 3961865 DATE 18-03-2022 A08 ORDER NUMBER 39156 DATE A07 YOUR ORDER NO P093509 DATE 09-09-2021 CONTRACT NO GE21BEY002 YOUR REFERENCES OUR REFERENCES OBC-AU/DHAH		A06.1 CUSTOMER BE GROUP OY AB LAITURIKATU 2 FIN-15140 LAHTI FINLAND 0047894 A06.2 DESTINATION BE GROUP OY AB, KELAVARASTO VANHANRADANKATU 42 FIN-15522 LAHTI FINLAND 002482	
A05 AUTHOR OF THE DOCUMENT AM LIEGE/ QUALITY DEPARTMENT									

B01-B04 MATERIAL: JETSKIN COIL STANDARD = EN 10152:2017
 QUALITY DCO1+ZV, ORDER ITEM 43 04 59 54 - 2.5 MICRON / 2,5 MICRON PHOSPHATING E PASSIVATION (ROHS COMPLIANCE)
 STAND: EN 10131 (2006) NORM.TOL.

B09 ITEM	PACK NR	B13 GROSS WEIGHT KG	B07 COIL NO	B08 CAST N.	CHEMICAL ANALYSIS C70 STEELMAKING PROCESS: LD															
					C71	C72	C73	C74	C75	C76	C77	C78	C79	C80	C81	C82	C83	C84	C85	
14		156340			C	Mn	Si	P	S	N	Al	Ti	Cr	Ni	Cu	As	Sn			
					10 ^{-3%}	10 ^{-2%}	10 ^{-3%}	10 ^{-3%}	10 ^{-3%}	10 ^{-4%}	10 ^{-3%}	10 ^{-3%}	10 ^{-3%}	10 ^{-3%}	10 ^{-3%}	10 ^{-3%}	10 ^{-3%}	10 ^{-3%}	10 ^{-4%}	10 ^{-3%}

B09 ITEM	PACK NR	MECHANICAL PROPERTIES			
		TENSILE TEST	C12 YIELD STRENGTH Rm	C13 YIELD STRENGTH Rm	A %
43	867059531	F D	166	305	43
	867059552	F D	166	305	43
2					
04	867049764	F D	222	354	36
	867049783	F D	222	354	36
	867049799	F D	221	342	37
	867049821	F D	221	342	37
4					
59	867048544	F D	257	348	36
	867048567	F D	257	348	36
2					
54	867048589	F D	238	348	33
	867048623	F D	238	348	33
2					
21	867058647	F D	208	331	39
	867058668	F D	224	335	38
	867058687	F D	249	352	36
	867058709	F D	249	352	36

C04 CONDITION OF THE SPECIMEN C02 DIRECTION SPECIMEN
 V: AGED F: NON-AGED N: NORMALISED L: OGR S: 45GR D: 90GR
 Siège: Bld de l'Impératrice 66, B-1000 Bruxelles (Belgique) TVA BE 0400.106.291 RPR Bruxelles AM Liège (Belgium) - Shipment points of Tilleur, Jemeppe, Flémalle, Ramet or Marchin - all located in Belgium 866110

A01  ArcelorMittal ArcelorMittal Belgium SA ArcelorMittal Liège Quai du Halage, 10 4400 Flémalle (Belgique) Tel.: +32 4.236.29.92 Fax: +32 4.236.29.89	A02 CERTIFICATE ----- TEST REPORT ACCORDING EN10204-2.2 OR EQUIVALENT.	A03 220429263 P. 03/03	A09 DISPATCH NOTE 3961865 A07 YOUR ORDER NO P093509 A08 ORDER NUMBER 391156 DATE 18-03-2022 DATE 09-09-2021 CONTRACT NO GE21BEY002 YOUR REFERENCES OUR REFERENCES OBC-AU/DHAH	A06.1 CUSTOMER BE GROUP OY AB LAITURIKATU 2 FIN-15140 LAHTI FINLAND 0047894 A06.2 DESTINATION BE GROUP OY AB, KELAVARASTO VANHANRADANKATU 42 FIN-15522 LAHTI FINLAND 002482
--	--	----------------------------------	---	--

BO1-B04 MATERIAL: JETSKIN COIL STANDARD = EN 10152:2017
 QUALITY DCO1+ZV, ORDER ITEM 43 04 59 54 - 2.5 MICRON / 2,5 MICRON PHOSPHATING E PASSIVATION (ROHS COMPLIANCE)
 STAND: EN 10131 (2006) NORM.TOL.

MECHANICAL PROPERTIES			
TENSILE TEST			
B09	PACK NR	C04 C02	C11 C12 C13
ITEM		YIELD STRENGTH	
		Rp0.2	Rm A
		MPa	MPa %


21 _____
 4

REMARKS

 TENSILE TEST SPECIMEN LC/LO/BO 120/80/20 MM.
 REFERENCES

 ORDER ITEM 43 - 2203502290 ORDER ITEM 04 - 2203502245 ORDER ITEM 59 - 2203502235 ORDER ITEM 54 -
 2203502230 ORDER ITEM21 - 2203502285
 LIEGE 18-03-2022

CO4 CONDITION OF THE SPECIMEN | **CO2** DIRECTION SPECIMEN
 V: AGED F: NON-AGED N: NORMALISED | L: OGR S: 45GR D: 90GR

R. SLOCK
 QUALITY DEPARTMENT


885110

AM Liège (Belgium) - Shipment points of Tilleur, Jemeppe, Flémalle, Ramet or Marchin - all located in Belgium